Motorised tilting bratt pan direct gas heating



MACHINES FOR SMALL AND MEDIUM SIZED RESTAURANTS

EASYBRATT is a tilting braising pan designed to meet the daily needs of small and medium-sized restaurants, the catering industry and centralised cooking facilities (canteens, community centres, schools, hospitals, etc.). Composed of 38 models with different capacities, this machine for catering is available in gas or electric heating from 50 to 200 litres. The tilting is manually-operated, but can be motorised on request.

PROFESSIONAL GAS OR ELECTRICALLY HEATED BRATT PAN FOR HIGH QUALITY RESULTS

Among the catering equipment developed by Firex, Easybratt is definitely one of the simplest and quickest to learn to use, since it has been designed specifically to meet the needs of small cooking centres. It is a professional bratt pan developed to braise different types of food: chicken, risotto, omelettes, stew, etc.

CHICKEN
ESCALOPES
STEW
SPARE RIBS
MEAT BALLS
OMELETTE
MIREPOIX
SAUTÉ VEGETABLES
RISOTTOS
SAUCES


Heating type	direct gas	
Capacity (L)	81	
Surface (dmq)	39	
Gas connection (Ø)	3/4"	
Electric connection (V/~/Hz)	1N+PE AC 230V 50/60 Hz	


Width (mm)	800
Depth (mm)	900
Height (mm)	900
Gas power (Mj/hr)	72
Electric power (kW)	0.2

boiling | braising | pasteurising | tilting | mixing | cooling | frying | underpressure | vacuum cooking | cutting | washing | drying









G	Attacco Gas (secondo ISO 7-1)	Gasanschuluss (ISO 7-1)	0/411	
	Gas Connection (ISO 7-1)	Raccordement Gaz (ISO 7-1)	3/4"	
E	Potenza assorbita	Elektrische Leistung	.20 (kW)	
	Electric power	Puissance électrique		
E	Collegamento Elettrico	Elektrische Verbindung	220-240V 1N ~ 50/60Hz	
	Electric connection	Connexion électrique	220-240V IN ~ 50/60HZ	
В	Allacciamento Acqua Fredda	Katlwasseranschluss	1/01	
	Cold water inlet	Raccordement eau froide	1/2"	

boiling | braising | pasteurising | tilting | mixing | cooling | frying | underpressure | vacuum cooking | cutting | washing | drying



