SEMI-AUTOMATIC KEBAB UNIT

Ideal for preparing gyros, shawarmas, tacos al pastor, and doner kebabs, this vertical broiler machine / doner kebab machine excels in delivering perfectly cooked meats. It ensures the meat remains succulent and tender on the inside, while achieving a delicately crisp exterior. This machine is a must-have for achieving the authentic taste and texture essential to these beloved dishes.

- Infrared Ceramic Burners: Ensure even and intense heat distribution
- Sturdy Stainless Steel Structure
- Large Cooking Capacity
- Heat Shields on Both Sides: Stainless steel shields protect and maintain consistent cooking temperatures
- Adjustable Cooking Spit: Allows flexibility in distance between the spit and burners for optimal cooking control
- Spit Length 5 burners - 965mm, 4 burners - 711mm, 3 burners – 533mm
- Efficient Main Burner Pilot: Enables instant ignition for quick start-up
- Stainless Steel Oil Collector: Simplifies cleanup and enhances hygiene
- High-Performance Design: Engineered for reliable and consistent cooking results
- Heavy-Duty Motors: Durable motors support extensive use and longevity
- Convenient Gas Connection: Includes a 3/4" NPT rear gas connection with Build in Gas Regulator

NEW PRODUCT



KB-3 / KB-3LPG



KB-4 / KB-4LPG



KB-5 / KB-5LPG

Code	Gas Type	Capacity (kg)	Dimensions (WxDxH mm)	Weight (kg)	Consumption (MJ/h)
KB-3	NG	29	537x639x843	34	39
KB-3LPG	LPG	29	537x639x843	34	36
KB-4	NG	45	537x639x1013	39	52
KB-4LPG	LPG	45	537x639x1013	39	48
KB-5	NG	56	537x639x1170	44	65
KB-5LPG	LPG	56	537x639x1170	44	60

Additional Meat Rod Assembly
KB-3-MS
KB-4-MS
KB-5-MS



• Gas equipment must be commissioned by an authorised technician.
Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ

GAS 4 BURNER DONER KEBAB UNIT

- Stainless steel construction
- 240 volt rotation motors
- Adjustable burner railing system to accommodate different skewer sizes
- Individual controls for burners
- Easy slide burner for optimum heat control
- 740mm meat spit
- 35kg load capacity
- Heat retainer & deflecting wings



Code	Gas Type	Dimensions (WxDxH mm)	Weight (kg)	Regulator Size	Consumption (MJ/h)	Voltage	Power (W/A)
RG-2	NG	534x700x1015	31	1/2"	52	240	250/10
RG-2LPG	LPG	534x700x1015	31	1/2"	44	240	250/10
Additional Meat Rod Assembly							
RG-2-MS	—	—	—	—	—	—	—

ELECTRIC KEBAB MACHINE

Ideal for preparing gyros, shawarmas, tacos al pastor, and doner kebabs, this vertical broiler machine / doner kebab machine excels in delivering perfectly cooked meats. It ensures the meat remains succulent and tender on the inside, while achieving a delicately crisp exterior. This machine is a must-have for achieving the authentic taste and texture essential to these beloved dishes.

- 6 High-Efficiency Heating Elements: Ensures thorough and even cooking
- 3 Control Knobs: For precise heat management
- 795mm Spit Length: Accommodates large quantities of meat
- 45kg Cooking Capacity: Ideal for high-volume cooking
- EGO Energy Regulator: Optimizes energy use and temperature control
- Heavy Duty Rotation Motor: Ensures consistent meat cooking
- Large Oil Collector: Simplifies cleaning, made of stainless steel
- Adjustable Element Positioning: Tailors heat for different skewer sizes
- Includes Meat Shovel: For easy handling
- Anti-Slip Feet: Enhances stability and safety



Code	Dimensions (WxDxH mm)	Weight (kg)	Voltage	Power (kW/A)
EKB-2	534x607x950	31	415	9.9/3~N

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ

CORDLESS KEBAB KNIFE

- Comes with 2x Li-Ion Batteries and a charger
- Adjustment ring & screw to easily achieve desired thickness
- Full 304 Grade stainless steel blade cover
- Includes 1x Smooth blade + 1x Serrated blade



CKS100





CKS100-battery

Code	Blade (mm)	Cutting Depth (mm)	Capacity (kg/hr)	Description	Voltage	Power (W/A)
CKS100	100	0 ~ 8	60	Cordless - 2x Li-Ion Batteries	Charger - 240	80/10
Optional Spare Battery						
CKS100-battery	–	–	–	2,000mAh	12	–

- Full stainless steel blade cover
- Adjustment ring and screw to easily achieve desired thickness
- Metal anti-slip body, ergonomic design, safe and easy handling
- The front part is easily detachable for cleaning
- Heavy duty switch
- One smooth blade and one serrated blade included in the package
- Adapter and unit stand included



KS80AS

Code	Blade (mm)	Speed	RPM	Description	Voltage	Power (W/A)
KS80AS	80	1	8,000	Corded	240	80/10

• Gas equipment must be commissioned by an authorised technician.

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ