VEGETABLE CUTTERS

YASAKI

- High speed continuous feed precision slicing, grating, chipping, dicing & julienne
- Interlocked safety cut-off switch
- Polished alloy housing
- Half moon feed hopper
- Feed tube
- Heavy duty construction
- 350rpm motor
- Inclined motor base for better ejection
- All parts in contact with food dishwashing safe
- Cutting disc 205mm
- Round corner makes it easy to clean



Code	Dimensions (WxDxH mm)	Weight (kg)	Voltage	Power (W/A)
VC55MF	585x305x555	26	240	550/10

- High speed continuous feed precision slicing, grating, chipping, dicing & julienne
- Interlocked safety cut-off switch
- Stainless steel base
- Full moon feed hopper
- Removable feed tube
- Comes with 5 discs
- Heavy duty construction
- 350rpm motor
- Inclined motor base for better ejection
- All parts in contact with food dishwashing safe
- Cutting disc 205mm
- Round corner makes it easy to clean



Code	Dimensions (WxDxH mm)	Weight (kg)	Voltage	Power (W/A)
VC65MS	655x325x545	26	240	750/10


Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ

CUTTING DISCS – 205MM DIAMOND CUTTING SURFACE

YASAKI



Code	Details
Dicing (Semicircular)	
DS888	8x8x8mm works with SA008
DS1000	10x10x10mm works with SA010
DS140	14x14x14mm works with SA014
DS2000	20x20x14mm works with SA014



Code	Details
Dicing (Circle - only for VC65MS)	
DR888	8x8x8mm works with SA008
DR1000	10x10x10mm works with SA010
DR140	14x14x14mm works with SA014



Code	Details
French Fries (Semicircular)	
FS808	8x8mm works with SA008
FS100	10x10mm works with SA010



Code	Details
French Fries (Circle - only for VC65MS)	
FR808	8x8mm works with SA008
FR100	10x10mm works with SA010




Code	Details
Julienne (Aluminium)	
J303	3x3mm
J404	4x4mm



Code	Details
Crimping Slicing Blade	
WA005	3 knives



Code	Details
Grating/Shredding	
G002	2mm
G003	3mm
G005	5mm
G007	7mm
G010	10mm




Code	Details
Fine Grating	
V001	—



Code	Details
Slicer (Carbon)	
SP002	2mm (3 blades)
SP004	4mm (2 blades)



Code	Details
Slicer (Aluminium – Semi Circle)	
SS002	2mm (1 blade)
SS004	4mm (1 blade)
SS010	10mm (1 blade)



Code	Details
Slicer (Aluminium – Circle)	
SA001	1mm (3 blades)
SA002	2mm (3 blades)
SA004	4mm (2 blades)
SA006	6mm (2 blades)
SA008	8mm (1 blade)
SA010	10mm (1 blade)
SA014	14mm (1 blade)

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ

COMPACT FOOD PROCESSOR WITH VARIABLE SPEED

YASAKI

- See-through lid to monitor processing from start to finish
- Stainless steel bowl with locking mechanism
- Stainless steel blade assembly
- Easy to use & clean
- Compact model
- Additional ingredients can be added while processing

HR-6



HR-9



HR-12



Code	Capacity (L)	Speed	RPM	Dimensions (WxDxH mm)	Weight (kg)	Voltage	Power (W/A)
HR-6	6	Variable	0-2200	565x365x440	19	240	1800/10
HR-9	9	Variable	0-2200	570x385x460	20	240	1800/10
HR-12	12	Variable	0-2200	575x385x525	22	240	2000/10

TWO SPEEDS BOWL CUTTER MIXER SERIES

- Full stainless steel construction
- Strong cutlery steel knife
- Powerful and ventilated motor
- Safety microswitch included
- Transparent lid with opening to add ingredients during operation
- Clear plastic top with bowl and lid scraper for controlling accurate mixing result
- Two speeds control and pulse function
- The machine is designed produced according to international standards for safety and hygiene
- High bowl shaft to protect motor from food waste and liquid

BC-5V2



BC-8V2



BC-12V2



Code	Capacity (L)	Speed	RPM	Dimensions (WxDxH mm)	Weight (kg)	Voltage	Power (W/A)
BC-5V2	5	2	1500/2800	435x435x665	21.5	240	1500/15
BC-8V2	8	2	1500/2800	435x435x665	21.8	240	1500/15
BC-12V2	12	2	1500/2200	495x455x790	29	240	2200/15

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ

ELECTRIC SALAD DRYER / SPINNER

YASAKI

- Transparent, heavy duty lid for ease of control
- Sturdy construction in food-grade quality materials
- Durable and removable stainless steel basket
- With 5-minute mechanical timer
- Equipped with castors allowing the operator to wheel unit around the kitchen and under a countertop for easy storage
- 3kg per cycle
- Removes excess water for better portion control and savings



Code	Capacity	Speed (RPM)	Dimensions (WxDxH mm)	Weight (kg)	Voltage	Power (W/A)
SP75AS	28	360	580x520x105	30.9	240	400/10

CHEESE GRATER/CHOPPERS

- Hopper hand guard grid - For operator safety and injury prevention
- Direct gear driven motor - Longer wear with no belts or chains to replace
- Feeder handle interlock - Prevents grater from operating unless the handle is down
- Stainless steel pan and grater drum - For sanitary operation and easy cleaning
- FOR GRATING HARD CHEESE ONLY

AK55C



AK90C



Code	Dimensions (WxDxH mm)	Weight (kg)	Voltage	Power (W/A)
AK55C	490x325x485	16	240	550/10
AK90C	680x335x580	27	240	900/10

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ

STICK BLENDERS

- Professional equipment particularly suited for ice cream shops, confectioner's, restaurants, hotels etc
- All parts in contact with food are dishwasher safe
- Heavy duty hand mixer available in different sizes and speeds
- Thermal overload protection included
- Exclusive body design
- Variable speed control switch
- Ergonomic handle for comfortable use
- Fully detachable stainless-steel shafts
- Whisk attachment available for ISB350~550V
- Bayonet attachments clutch, and double sealer shafts for hygienic use
- Noise level: 80~85dB
- 3 years warranty on motor, 1 year warranty on shaft















Wall Hanger WB-3



Support Bracket SB-BTH

Code	Speed (RPM)	Motor Dimensions (LxØmm)	Shaft Dimensions (LxØmm)	Weight (kg)	Voltage	Power (W/A)
ISB160V	6000~20000	316 x 79	225 x 28	1.93	240	270/10
ISB350V	6000~20000	373 x 96	350 x 35	3.22	240	350/10
ISB450V	6000~20000	373 x 96	450 x 35	3.68	240	500/10
ISB550V	8000~19000	396 x 96	550 x 35	4.54	240	750/10
Whisk Attachment available (not suitable for ISB200VV)						
WIK250	—	—	—	0.86	—	—
Wall Hanger						
WB-3	—	—	—	3	—	—
Support Bracket						
SB-BTH	—	—	—	5	—	—

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ

PROFESSIONAL DELI SLICERS

YASAKI

- Semi-auto operation
- SUITABLE FOR FROZEN MEAT
- The best value Italian designed aluminium safety ring guard
- Polished bases
- Forged stainless steel blades
- Minimal blade deflection for slice uniformity
- Sharpener included
- Very easy to clean
- Rigid one piece special die-cast aluminium alloy body
- Vibration free, smooth running
- Removable dishwasher safe sharpener included



HBS-250

Code	Blade (mm)	Thickness (mm)	Dimensions (WxDxH mm)	Weight (kg)	Voltage	Power (W/A)
HBS-250	250	0.2-12	575x465x415	16.4	240	150/10
HBS-300	300	0.2-15	565x520x565	22.5	240	250/10

PROFESSIONAL DELI SLICERS

- Aluminium - magnesium cast alloy casting
- Polished and anodized surface
- Metal on and off switch
- Sleek design, no sharp edges and corners, easy to clean
- Assemble and disassemble blade cover with security protection
- Assemble and disassemble carrier with security protection
- Forged stainless steel blades
- Gear drive
- Suitable for deli, restaurant & supermarkets
- Vibration free, smooth running
- Removable dishwasher safe sharpener included
- Large heavy duty tray & motor
- Product up to 220mm∅



Code	Blade (mm)	Thickness (mm)	Dimensions (WxDxH mm)	Weight (kg)	Voltage	Power (W/A)
HBS-300C	300	0.2-15	748x686x678	34.8	240	250/10

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ

AUTOMATIC DELI SLICERS

YASAKI

- Automatic, silent, vibration free operation
- Sleek design, no sharp edges and corners, easy to clean
- Forged s/s blades
- Safety facilities fitted
- Removable blade ring & guard
- Blade sharpener is removable & dishwasher safe
- Minimal blade deformity
- Suitable for deli, restaurant & supermarkets



Code	Blade (mm)	Thickness (mm)	Dimensions (WxDxH mm)	Weight (kg)	Voltage	Power (W/A)
AMS320B-AUTOMATIC	320	2-16	812x642x880	87.24	240	370/10

SINGLE CHAMBER COMMERCIAL PACKING MACHINES

- High impact lid
- Digital control panel
- Stainless steel construction
- Affordable
- Reliable
- Easy to use
- Easy to clean
- Vacuum pump capacity & power: 20m³/h - 750W





Code	Chamber Dimensions (WxDxH)	External Dimensions (WxDxH mm)	Weight (kg)	Voltage	Power (W/A)
350x8mm Single Sealing Bar – Shock Reduction System to reduce machine vibration & noise					
DJ-DZ350/M	370x450x120	425x560x360	44	240	900/10
Vacuum Bags					
VB2030		200x300 | QTY: 200			
VB2535		250x350 | QTY: 200			
VB2639		260x390 | QTY: 200			

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ.


COMMERCIAL VACUUM PACKING MACHINES

YASAKI

- High transparent lid to monitor sealing progress
- Easy to use digital control panel
- Stainless-steel housing
- Stainless-steel vacuum chamber
- Cycle time: 10~30s
- High vacuum capacity to speed up packaging process
- Extending the shelf life of foodstuffs
- Vacuum bags not included


ZJ-VM500B2






ZJ-VM300B1





ZJ-VM400B2







Drawings show chamber size

Code	Vacuum Pump Capacity	Qty of Sealers	Sealer Size (LxW mm)	Dimensions (WxDxH mm)	Weight (kg)	Voltage	Power (kW/A)
Bench top							
ZJ-VM300B1	10 m^3/h	1	260x8	490×450×320	35	240	0.4/10
ZJ-VM400B2	20m^3/h	2	400x10	560×500×460	70	240	0.9/10
ZJ-VM500B2	20m^3/h	2	500x10	630×620×460	80	240	0.9/10

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ.

COMMERCIAL VACUUM PACKING MACHINES

YASAKI

- High transparent lid for single chamber machine to monitor sealing progress
- Easy to use digital control panel
- Stainless-steel housing
- Stainless-steel vacuum chamber
- Cycle time: 10~30s
- High vacuum capacity to speed up packaging process
- Extending the shelf life of foodstuffs


ZJ-VM500S2




ZJ-VM500S2C



Drawings show chamber size





VB3035



VB1535



Code	Vacuum Pump Capacity	Qty of Sealers	Sealer Size (LxW mm)	Dimensions (WxDxH mm)	Weight (kg)	Voltage	Power (kW/A)
Floor type							
ZJ-VM500S2	20m³/h	2	500x10	630×620×1050	95	240	0.9/10
ZJ-VM500S2C	2 x 20m³/h	4	520x10	1250×750×950	240	415	1.5/3~N
Vacuum bag (set of 100pcs)							
VB3035	–	–	–	300x350mm	–	–	–
VB1535	–	–	–	150x350mm	–	–	–

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ.

S/S ELECTRIC MEAT TENDERIZER & MEAT STRIP SLICER

YASAKI

- Robust and full stainless steel body with no sharp corners
- Meets hygiene and safety regulations
- Simple and easy operation and cleaning





TR8SH-TDA



TR8SH-MSA

Code	Dimensions (WxDxH mm)	Weight (kg)	Voltage	Power (W/A)
Electric Power Unit				
TR8SH	560x306x560	12.3	240	350/10
Meat Tenderizer Attachment				
TR8SH-TDA	240x130x12	4	—	—
Meat Stripper Attachment				
TR8SH-MSA	240x130x12	4	—	—

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ.