
MODULAR SYSTEMS

BASIC STAINLESS STEEL COMPARISON

304 Stainless Steel	201/J4 Stainless Steel	430/429 Stainless Steel	Galvanized Steel
Known for its excellent corrosion resistance and durability. It's the choice for high-quality applications.	More affordable but with lesser corrosion resistance. They are commonly used where costs are a primary concern.	Offers moderate corrosion resistance at a lower cost but isn't as durable as 304 in harsh environments.	Features a protective zinc coating for rust prevention but doesn't offer the same clean, polished look or level of corrosion resistance as stainless steels.



PREMIUM MODULAR SYSTEMS APPROACH

Top Layer: 304 stainless steel for unmatched surface durability and resistance to rust and staining.

Middle Layer: MDF (Medium-Density Fiberboard) infill adds strength and stability, making the benchtops sturdier than those with a single material construction.

Bottom Layer: A galvanized steel underlayer enhances overall strength and adds another level of durability, making it more robust.

Extra Support: A U-shaped galvanized support bar beneath the entire structure boosts the benchtop's strength even further, setting these premium systems apart in terms of durability and structural integrity.

In essence, premium modular systems deliver an unparalleled combination of materials designed to ensure their benchtops stand the test of time and use, far surpassing the standard offerings by many competitors. This approach not only emphasizes quality and durability but also showcases the brand's commitment to providing the best possible product on the market.

PREMIUM S/S WORK TABLES WITH UNDERSHELF


MODULAR SYSTEMS


- Specially designed for quick & simple assembly
- 1.2mm lined 304 grade S/S tops
- 600mm deep / 700mm deep
- Solid S/S 'U' channel reinforcement under, 1.2mm thick
- Legs: S/S adjustable feet or castors
- large full size all 1.2mm thick S/S undershelves
- Instruction manual & tools included
- Hygienic & easy to clean
- Flat packed for easy self-assembly
- S/S bolt down feet available




Premium Modular Systems

Optional S/S Feet available.







Code	Dimensions (WxDxH mm)
600Dx900H with Adjustable S/S Feet	
WB6-0600/A	600x600x900
WB6-0900/A	900x600x900
WB6-1200/A	1200x600x900
WB6-1500/A	1500x600x900
WB6-1800/A	1800x600x900
WB6-2100/A	2100x600x900
WB6-2400/A	2400x600x900

MOBILE BENCHES

Code	Dimensions (WxDxH mm)
700Dx900H with Castors – front 2 castors lockable	
WBM7-0600/A	600x700x900
WBM7-0900/A	900x700x900
WBM7-1200/A	1200x700x900
WBM7-1500/A	1500x700x900
WBM7-1800/A	1800x700x900
WBM7-2100/A	2100x700x900
WBM7-2400/A	2400x700x900


Code	Dimensions (WxDxH mm)
700Dx900H with Adjustable S/S Feet	
WB7-0600/A	600x700x900
WB7-0800/A	800x700x900
WB7-0900/A	900x700x900
WB7-1000/A	1000x700x900
WB7-1200/A	1200x700x900
WB7-1500/A	1500x700x900
WB7-1800/A	1800x700x900
WB7-2100/A	2100x700x900
WB7-2400/A	2400x700x900


Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ


PREMIUM S/S WORK TABLES WITH UNDERSHELF WITH SPLASHBACK

- 600mm deep or 700mm deep
- Solid S/S 'U' channel reinforcement, 1.2mm thick
- Under benchtops & undershelves
- 1.0mm S/S with
- Adjustable S/S bullet feet
- 1.2mm thick 304 grade S/S undershelves
- with solid 'U' channel
- 304 grade S/S Splashbacks – 150mm high; 30mm deep
- Instruction manual & tools included
- Hygienic & easy to clean
- Flat packed for easy self-assembly
- Solid S/S 1.2mm thick "U" channel reinforcement (not gal. top hat) under benchtops & undershelves
- S/S Bolt down feet available









Premium Modular Systems



Optional S/S Feet available.

Code	Dimensions (WxDxH mm)
600Dx900H with Adjustable S/S Feet	
WBB6-0600/A	600x600x900
WBB6-0900/A	900x600x900
WBB6-1200/A	1200x600x900
WBB6-1500/A	1500x600x900
WBB6-1800/A	1800x600x900
WBB6-2100/A	2100x600x900
WBB6-2400/A	2400x600x900

Code	Dimensions (WxDxH mm)
700Dx900H with Adjustable S/S Feet	
WBB7-0300/A	300x700x900
WBB7-0450/A	450x700x900
WBB7-0600/A	600x700x900
WBB7-0800/A	800x700x900
WBB7-0900/A	900x700x900
WBB7-1000/A	1000x700x900
WBB7-1200/A	1200x700x900
WBB7-1500/A	1500x700x900
WBB7-1800/A	1800x700x900
WBB7-2100/A	2100x700x900
WBB7-2400/A	2400x700x900

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ

CORNER WORK BENCH WITH SPLASHBACK & UNDERSHELF


MODULAR SYSTEMS


- S/S Bolt down feet available





Premium Modular Systems







Optional S/S Feet available.

Code	Dimensions (WxDxH mm)
600D x 900H mm + 150mm Splashback	
WBCB6-0600/A	600x600x900
700D x 900H mm + 150mm Splashback	
WBCB7-0700/A	700x700x900

Code	Dimensions (WxDxH mm)
600D x 900H mm + 150mm Splashback	
WBCB6-0900/A	900x900x900
700D x 900H mm + 150mm Splashback	
WBCB7-0900/A	900x900x900

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ

S/S SINK BENCHES WITH POT SHELF

MODULAR SYSTEMS

- 1.2mm lined 304 grade tops
- 600mm / 700mm deep
- Solid 'U' channel reinforcement under, 1.2mm thick
- Legs S/S adjustable feet or castors
- Specially designed for quick & simple assembly
- Hygienic & easy to clean
- Instruction manual & tools included
- Flat packed for easy self-assembly
- Locking drawers available
- Pot Undershelves 1.0mm 304 grade S/S (18/8); BA finish
- Outer frame tubes: 1.0mm S/S
- 5 × Inner tubes: 1mm S/S
- Splashback 150mm high; 30mm deep
- Sink Bowls 1.2mm 304 grade S/S (18/8) with Hairline finish
- Sink bowls punched, polished inside & out
- 90mm Ø drain hole
- S/S Bolt down feet available



SSB7-1200L/A



DSB6-1500C/A

Code	Dimensions (WxDxH mm)
600Dx900H – Single Sink 400x400x300	
SSB6-1200L/A	1200x600x900
SSB6-1200R/A	1200x600x900
SSB6-1200C/A	1200x600x900
SSB6-1500L/A	1500x600x900
SSB6-1500R/A	1500x600x900
SSB6-1500C/A	1500x600x900
SSB6-1800L/A	1800x600x900
SSB6-1800R/A	1800x600x900
SSB6-2400L/A	2400x600x900
SSB6-2400R/A	2400x600x900

Code	Dimensions (WxDxH mm)
700Dx900H – Single Sink 450x450x300	
SSB7-1200L/A	1200x700x900
SSB7-1200R/A	1200x700x900
SSB7-1200C/A	1200x700x900
SSB7-1500L/A	1500x700x900
SSB7-1500R/A	1500x700x900
SSB7-1500C/A	1500x700x900
SSB7-1800L/A	1800x700x900
SSB7-1800R/A	1800x700x900
SSB7-1800C/A	18400x700x900

Code	Dimensions (WxDxH mm)
600Dx900H – Double Sink 2x 400x400x300	
DSB6-1200C/A	1200x600x900
DSB6-1500L/A	1500x600x900
DSB6-1500R/A	1500x600x900
DSB6-1500C/A	1500x600x900
DSB6-1800L/A	1800x600x900
DSB6-1800R/A	1800x600x900
DSB6-1800C/A	1800x600x900


Code	Dimensions (WxDxH mm)
700Dx900H – Double Sink 2x 450x450x300	
DSB7-1200C/A	1200x700x900
DSB7-1500L/A	1500x700x900
DSB7-1500R/A	1500x700x900
DSB7-1500C/A	1500x700x900
DSB7-1800L/A	1800x700x900
DSB7-1800R/A	1800x700x900
DSB7-1800C/A	1800x700x900
DSB7-2100L/A	2100x700x900
DSB7-2100R/A	2100x700x900
DSB7-2100C/A	2100x700x900
DSB7-2400L/A	2400x700x900
DSB7-2400R/A	2400x700x900
DSB7-2400C/A	2400x700x900

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ


S/S SINK BENCHES WITH POT SHELF

MODULAR SYSTEMS


-SSBL




-SSBR




-SSBC




-DSBL



-DSBR




-DSBC



Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ

QUALITY 304 S/S OUTLET TABLE WITH POT SHELF

- Dishwasher benches are solid 1.2mm 304 grade S/S backed with XPS board & lined with zinc plated steel panel
- 700mm deep/ 600mm S/S adjustable feet.
- Pot Undershelves are 1.0mm 304 grade S/S (18/8); BA finish
- Outer frame tubes: 1.0mm S/S
- 5 × inner tubes: 1mm S/S
- Splashbacks are 304 grade S/S & are a standardised height on all tables for consistency in alignment
- 150mm high; 30mm deep
- Our benches are specially designed for quick & simple assembly
- Instruction manual & tools included
- Hygienic & easy to clean
- Flat packed for easy self assembly
- S/S Bolt down feet available




Premium Modular Systems




Baskets not included





Right Hand Outet attaches to Left side of dishwasher



Left Hand Outlet attaches to Right side of dishwasher

Code	Dimensions (WxDxH mm)
700Dx900H – Right	
WBBD7-0600R/A	600x700x900
WBBD7-0900R/A	900x700x900
WBBD7-1200R/A	1200x700x900
WBBD7-1500R/A	1500x700x900
WBBD7-1800R/A	1800x700x900

Code	Dimensions (WxDxH mm)
700Dx900H – Left	
WBBD7-0600L/A	600x700x900
WBBD7-0900L/A	900x700x900
WBBD7-1200L/A	1200x700x900
WBBD7-1500L/A	1500x700x900
WBBD7-1800L/A	1800x700x900


Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ

NEW PRODUCT

QUALITY 304 S/S SINK INLET/OUTLET

MODULAR SYSTEMS

Code	Description
CDT-600L	Clean dish table 600mmX700mmX900mmH with 150mm high splashback 1.2mm 304S/S construction 1.0mm 201S/S, 42mm OD(2 legs) Adjustable plastic bullet feet with S/S clad Carton box packing
CDT-600R	Clean dish table 600mmX700mmX900mmH with 150mm high splashback 1.2mm 304S/S construction 1.0mm 201S/S, 42mm OD(2 legs) Adjustable plastic bullet feet with S/S clad Carton box packing
CDT-900L	Clean dish table 900mmX700mmX900mmH with 150mm high splashback 1.2mm 304S/S construction 1.0mm 201S/S, 42mm OD(2 legs) Adjustable plastic bullet feet with S/S clad Carton box packing
CDT-900R	Clean dish table 900mmX700mmX900mmH with 150mm high splashback 1.2mm 304S/S construction 1.0mm 201S/S, 42mm OD(2 legs) Adjustable plastic bullet feet with S/S clad Carton box packing
CDT-1200L	Clean dish table 1200mmX700mmX900mmH with 150mm high splashback 1.2mm 304S/S construction 1.0mm 201S/S, 42mm OD(2 legs) Adjustable plastic bullet feet with S/S clad Carton box packing
CDT-1200R	Clean dish table 1200mmX700mmX900mmH with 150mm high splashback 1.2mm 304S/S construction 1.0mm 201S/S, 42mm OD(2 legs) Adjustable plastic bullet feet with S/S clad Carton box packing




Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ

QUALITY 304 S/S SINK INLET WITH POT SHELF


- Dishwasher benches are solid 1.2mm 304 grade S/S backed with XPS board & lined with zinc plated steel panel
- 700mm deep/ 600mm S/S adjustable feet.
- Pot Undershelves are 1.0mm 304 grade S/S (18/8); BA finish
- Outer frame tubes: 1.0mm S/S
- 5 × inner tubes: 1mm S/S
- Splashbacks are 304 grade S/S & are a standardised height on all tables for consistency in alignment
- 150mm high; 30mm deep
- Sink Bowls 1.2mm 304 grade S/S (18/8) Hairline finish
- Punched, polished inside & out
- 90mm Ø drain hole
- Our benches are specially designed for quick & simple assembly
- Instruction manual & tools included
- Hygienic & easy to clean
- Flat packed for easy self assembly
- S/S Bolt down feet available




Optional S/S Feet available




Premium Modular Systems





Right Hand Inlet attaches to Left side of dishwasher



Left Hand Inlet attaches to Right side of dishwasher

Code	Dimensions (WxDxH mm)
700Dx900H – Right	
Single Sink 400x400x300	
SSBD7-1200R/A	1200x700x900
SSBD7-1500R/A	1500x700x900
SSBD7-1800R/A	1800x700x900
Double Sink 2x 400x400x300	
DSBD7-1800R/A	1800x700x900
DSBD7-2400R/A	2400x700x900

Code	Dimensions (WxDxH mm)
700Dx900H – Left	
Single Sink 400x400x300	
SSBD7-1200L/A	1200x700x900
SSBD7-1500L/A	1500x700x900
SSBD7-1800L/A	1800x700x900
Double Sink 2x 400x400x300	
DSBD7-1800L/A	1800x700x900
DSBD7-2400L/A	2400x700x900

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ

EXTRA TABLE SHELVES FOR PREMIUM RANGE

MODULAR SYSTEMS

• Premium workbench & sink models begin with WB, WBB, SSB, DSB, & DSBD



Code	Width (mm)
Solid Undershelves - 490mm Deep	
SUS6-0600/A	490
SUS6-0900/A	790
SUS6-1200/A	1090
SUS6-1500/A	1390
SUS6-1800/A	1690
SUS6-2100/A	1990
SUS6-2400/A	2290

Code	Width (mm)
Solid Undershelves - 590mm Deep	
SUS7-0600/A	490
SUS7-0900/A	790
SUS7-1200/A	1090
SUS7-1500/A	1390
SUS7-1800/A	1690
SUS7-2100/A	1990
SUS7-2400/A	2290



Code	Width (mm)
Pot Rack Undershelves - 490mm Deep	
PRU6-0600/A	490
PRU6-0900/A	790
PRU6-1200/A	1090
PRU6-1500/A	1390
PRU6-1800/A	1690
PRU6-2100/A	1990
PRU6-2400/A	2290

Code	Width (mm)
Pot Rack Undershelves - 590mm Deep	
PRU7-0600/A	490
PRU7-0900/A	790
PRU7-1200/A	1090
PRU7-1500/A	1390
PRU7-1800/A	1690
PRU7-2100/A	1990
PRU7-2400/A	2290



Code	Width (mm)
Leg Bracing - 490mm Deep	
LB6-0600/A	490
LB6-0900/A	790
LB6-1200/A	1090
LB6-1500/A	1390
LB6-1800/A	1690
LB6-2100/A	1990
LB6-2400/A	2290

Code	Width (mm)
Leg Bracing - 590mm Deep	
LB7-0600/A	490
LB7-0900/A	790
LB7-1200/A	1090
LB7-1500/A	1390
LB7-1800/A	1690
LB7-2100/A	1990
LB7-2400/A	2290

EXTRA TABLE SHELVES FOR ECONOMIC RANGE

• Suitable for best value economic workbench & sink models ending with WB, WBB, SSB, DSB, & DSBD



Code	Width (mm)
Solid Undershelves - 450mm Deep	
0600-SUS6	490
0900-SUS6	790
1200-SUS6	1090
1500-SUS6	1390
1800-SUS6	1690
2100-SUS6	1990
2400-SUS6	2290

Code	Width (mm)
Solid Undershelves - 550mm Deep	
0600-SUS7	490
0900-SUS7	790
1200-SUS7	1090
1500-SUS7	1390
1800-SUS7	1690
2100-SUS7	1990
2400-SUS7	2290

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ

S/S LEG AND CASTOR KITS



Code	Quantity
Bolt down feet	
DM-FEET	1

PREMIUM RANGE



Code	Quantity
42mmØ; 1.0mmS/S x 850mm High	
SSLEG/4	Set of 4 legs
SSLEG/6	Set of 6 legs



Code	Quantity
42mmØ; 1.0mmS/S x 100mmØ castor x 850mm High	
LC-01/A	2x castor with brake 2x castor no brake
LC-02/A	3x castor with brake 3x castor no brake

ECONOMIC RANGE



Code	Quantity
41 mm Ø x 885mm High	
AELEG	1 leg



Code	Quantity
Economic Range Castors	
CASTOR-D41	2x castor with brake 2x castor no brake
CASTOR-D61	3x castor with brake 3x castor no brake

SPLASHBACK END PIECE / EXTENSION

NEW PRODUCT



Code	Description
WBB6-SB	Splashback extension for 600 series bench
WBB7-SB	Splashback extension for 700 series bench

S/S PREMIUM RANGE BENCH DRAWER



DR-01/A



DR-02/A

Code	Drawer(s)	Dimensions (WxDxH mm)
DR-01/A	1	480x480x225
DR-02/A	2	480x480x410

Drawer Fitting Positions		
Bench Length	No. of Drawers	Position/s
600	0	–
900	1	Centre
1200	1	Centre
1500	1	Centre
1800	1	Centre
2100	2	Left & Right
2400	2	Left & Right

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ