GAS 800 SERIES U.S. DESIGN




GASMAX BENCH TOPS & OPTIONAL STANDS

- Heavy duty trivets
- Adjustable height 45mm
- Stainless steel construction
- Stands at bottom of page
- Sturdy adjustable feet S/S drip pans

2+2 YEARS WARRANTY 4 YEAR WITH PRODUCT REGISTRATION

RB-1E







RB-1B



RB-2E / RB-2ELPG







Code	Gas Type	Dimensions (WxDxH mm)	Weight (kg)	Consumption (MJ/h)
Dual Ring Burner				
RB-1E	NG	450x660x500	35	60
RB-1ELPG	LPG	450x660x500	35	60
Dual Ring Burner with Back Board & additional built in faucet				
RB-1B	NG	450x660x780	35	60
RB-1BLPG	LPG	450x660x780	35	60
2 Burner				
RB-2E	NG	300x824x380+60	34	48
RB-2ELPG	LPG	300x824x380+60	34	40
Optional S/S Stand with Shelf for model RB-2E				
RB-2-SEN	—	299x600x659	12	—

• Gas equipment must be commissioned by an authorised technician.

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ

GAS 800 SERIES U.S. DESIGN


GASMAX BENCH TOPS & OPTIONAL STANDS

- Heavy duty trivets
- Adjustable height 45mm
- Stainless steel construction
- Sturdy adjustable feet
- S/S drip pans
- With Flame Failure
- Stands at bottom of page

2+2 YEARS WARRANTY 4 YEAR WITH PRODUCT REGISTRATION


RB-4E / RB-4ELPG





RB-6E / RB-6ELPG





RB-4-SEN



Code	Gas Type	Dimensions (WxDxH mm)	Weight (kg)	Consumption (MJ/h)
4 Burner				
RB-4E	NG	602x824x575	60	96
RB-4ELPG	LPG	602x824x575	60	80
Optional S/S Stand with Shelf for model RB-4				
RB-4-SEN	—	600x600x659	15	—
6 Burner				
RB-6E	NG	902x824x575	84	144
RB-6ELPG	LPG	902x824x575	84	120
Optional S/S Stand with Shelf for model RB-6				
RB-6-SEN	—	899x600x659	21	—

• Gas equipment must be commissioned by an authorised technician.


Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ


GAS 800 SERIES RANGE WITH OVEN

- Stainless steel front, galvanized sides
- Cast iron open burner
- Versatile heavy duty cast iron trivets, suitable for both woks and pans
- Thermostat (100ºC- 300ºC) controlled oven
- Welded frame structure for best stability
- Flame failure control valve
- 12" x12"(30x30cm) cast iron grate
- Adjustable heavy duty legs
- Anti-clogging pilot cover under the grate
- A pull-out crumb tray with angled handle in the front
- U shape oven burner
- Thermal couple safety valve for the oven
- Stainless steel oven door with insulation
- Stainless steel handle for bottom oven
- Kick plate at the bottom for easy access for servicing
- Burner holes are less likely blocked by food waste
- Burner can be easily dismantled for best cleaning
- 0.35mm thick thermocouple for burner top that resists 1400° heat
- Each burner power is 42MJ for LPG and 38MJ for NG
- Each burner power is 38MJ/h for NG models, and 42MJ/h for LPG models

GBS4TS / GBS4TSLPG








S-GRDE
Simply sits over 2 burners and has removable drip tray

GBS6TS / GBS6TSLPG





Code	Gas Type	Dimensions (WxDxH mm)	Oven Dimensions (WxDxH mm)	Weight (kg)	Consumption (MJ/h)
4 Gas Burner with Large Oven					
GBS4TS	NG	610x855x1128	518x655x350	132	182
GBS4TSLPG	LPG	610x855x1128	518x655x350	132	204
6 Gas Burner with Large Oven					
GBS6TS	NG	914x855x1128	673x655x350	167	258
GBS6TSLPG	LPG	914x855x1128	673x655x350	167	288
Lay On Griddle Plate					
S-GRDE	—	300x730x80+10mm locators		—	—

• Gas equipment must be commissioned by an authorised technician.

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ


GAS 800 SERIES U.S. DESIGN

GAS CHAR GRILL TOPS

- Multiple heavy duty cast iron burners
- S/S construction
- S/S drip pans
- Versatile heavy duty cast iron grills, suitable for both steak and fish
- Auto igniter
- Flame failure
- Stands & Basting Rails available


QR-14E / QR-14ELPG





QR-24 / QR-24LPG





Code	Gas Type	Dimensions (WxDxH mm)	Weight (kg)	Consumption (MJ/h)
2 Burner				
QR-14E	NG	354x824x575	56	44
QR-14ELPG	LPG	354x824x575	56	39
4 Burner				
QR-24E	NG	609x824x575	95	88
QR-24ELPG	LPG	609x824x575	95	78

• Gas equipment must be commissioned by an authorised technician.

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ


GAS 800 SERIES U.S. DESIGN

GAS CHAR GRILL TOPS

- Multiple heavy duty cast iron burners
- S/S construction
- S/S drip pans
- Versatile heavy duty cast iron grills, suitable for both steak and fish
- Auto igniter
- Flame failure
- Stands & Basting Rails available


QR-36 / QR-36LPG





QR-48 / QR-48LPG





Code	Gas Type	Dimensions (WxDxH mm)	Weight (kg)	Consumption (MJ/h)
6 Burner				
QR-36E	NG	914x824x575	134	132
QR-36ELPG	LPG	914x824x575	134	117
8 Burner				
QR-48E	NG	1218x824x575	174	176
QR-48ELPG	LPG	1218x824x575	174	148


GAS 800 SERIES U.S. DESIGN

GAS GRIDDLE TOPS

- Multiple heavy duty cast iron burners
- S/S construction
- Fast heat recovery
- 20mm thick mild steel griddle plate
- S/S drip pans
- Auto igniter
- Flame failure
- Stands & Basting Rails available


RGT-16E / RGT-16ELPG





RGT-24 / RGT-24LPG





Code	Gas Type	Griddle Plate Size (WxDxH mm)	Dimensions (WxDxH mm)	Weight (kg)	Consumption (MJ/h)
1 Burner					
RGT-16E	NG	400x612x20	404x840x438	69	28
RGT-16ELPG	LPG	400x612x20	404x840x438	69	27
2 Burner					
RGT-24E	NG	606x612x20	610x850x360+60	90	56
RGT-24ELPG	LPG	606x612x20	610x850x360+60	90	54

• Gas equipment must be commissioned by an authorised technician.

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ


GAS 800 SERIES U.S. DESIGN

GAS GRIDDLE TOPS

- Multiple heavy duty cast iron burners
- S/S construction
- Fast heat recovery
- 20mm thick mild steel griddle plate
- S/S drip pans
- Auto igniter
- Flame failure
- Stands & Basting Rails available


RGT-36 / RGT-36LPG





RGT-48 / RGT-48LPG





Code	Gas Type	Griddle Plate Size (WxDxH mm)	Dimensions (WxDxH mm)	Weight (kg)	Consumption (MJ/h)
3 Burner					
RGT-36E	NG	911x612x20	915x850x360+60	130	84
RGT-36ELPG	LPG	911x612x20	915x850x360+60	130	81
4 Burner					
RGT-48E	NG	1216x612x20	1220x850x360+60	169	112
RGT-48ELPG	LPG	1216x612x20	1220x850x360+60	169	108


• Gas equipment must be commissioned by an authorised technician.

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ

STAINLESS STEEL BASTING RAIL

The removable basting rail is a key accessory designed for QR and RGT range gas griddles and chargrills, enhancing kitchen functionality. This tool provides a dedicated area for applying marinades and seasonings, made from food-grade stainless steel for durability and easy cleaning. Its detachable design allows for flexible cooking setups and simple maintenance, making it crucial for professionals and culinary enthusiasts aiming for precise flavoring and an organised space. A must-have for elevating your cooking experience.

QR-24-BR



QR-36-BR



QR-48-BR




Code	Compatible Models	Weight (kg)
Removable Basting Rails		
QR-24-BR	QR-24E & RGT-24E	2.5
QR-36-BR	QR-36E & RGT-36E	3.5
QR-48-BR	QR-48E & RGT-48E	4.5

• Gas equipment must be commissioned by an authorised technician.


Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ

STAINLESS STEEL STAND WITH SOLID UNDERSHELF


QR-14-SEN




RGT-16-SEN




QR-24-SEN



QR-36-SEN



QR-48-SEN



Code	Compatible Models	Weight (kg)
QR-14-SEN	QR-14E	2.5
RGT-16-SEN	RGT-16E	2.5
QR-24-SEN	QR-24E & RGT-24E	4
QR-36-SEN	QR-36E & RGT-36E	5
QR-48-SEN	QR-48E & RGT-48E	7


• Gas equipment must be commissioned by an authorised technician.

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ

GAS 800 SERIES INFILL BENCHES U.S. DESIGN

WBB-0300R / WBB-0450R





Code	Compatible Models	Weight (kg)
WBB-0300R	RB Cooktop / GBS Grill and Toaster / QR Chargrill / GG Griddle	18
WBB-0450R	RB Cooktop / GBS Grill and Toaster / QR Chargrill / GG Griddle	26


GAS GRIDDLES

- Steel U-shape burner, each 30mj/ hr for better heat distribution
- One control every 12”
- 22mm thickness griddle plate
- Stainless steel adjustable heavy duty legs
- Oil collector at the bottom
- Stainless steel in the front & sides
- Manual control
- Optional stands available

2+2 YEARS WARRANTY 4 YEAR WITH PRODUCT REGISTRATION

GG-12





Code	Gas Type	Griddle Plate Size (WxDxH mm)	Dimensions (WxDxH mm)	Weight (kg)	Consumption (MJ/h)
GG-12	NG	336x824x546	336x824x407	40	30
GG-12LPG	LPG	336x824x546	336x824x407	40	33

• Gas equipment must be commissioned by an authorised technician.

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ


GAS GRIDDLES

- Steel U-shape burner, each 30mj/hr for better heat distribution
- One control every 12”
- 22mm thickness griddle plate
- Stainless steel adjustable heavy duty legs
- Oil collector at the bottom
- Stainless steel in the front & sides
- Manual control
- Optional stands available

2+2 YEARS WARRANTY 4 YEAR WITH PRODUCT REGISTRATION


GG-24






GG-36





GG-48






Code	Gas Type	Griddle Plate Size (WxDxH mm)	Dimensions (WxDxH mm)	Weight (kg)	Consumption (MJ/h)
GG-24	NG	603x570x22	610x824x412	80	60
GG-24LPG	LPG	603x570x22	610x824x412	80	66
GG-36	NG	908x570x22	900x824x412	110	90
GG-36LPG	LPG	908x570x22	900x824x412	110	99
GG-48	NG	1212x570x22	1200x824x412	152	120
GG-48LPG	LPG	1212x570x22	1200x824x412	152	132

• Gas equipment must be commissioned by an authorised technician.


Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ

STAINLESS STEEL GAS GRIDDLE STANDS


GG-12-SEN




GG-24-SEN



GG-36-SEN



GG-48-SEN



Code	Gas Type	Griddle Plate Size (mm)	Dimensions (WxDxH mm)	Weight (kg)	Consumption (MJ/h)
Stands					
GG-12-SEN	--	--	334x650x689	9	--
GG-24-SEN	--	--	607x650x689	12	--
GG-36-SEN	--	--	912x650x689	14	--
GG-48-SEN	--	--	1217x650x689	17	--

• Gas equipment must be commissioned by an authorised technician.

Prices and specifications are subject to change without notice. Pictures are for illustrative purpose and final product may differ