



<b>Series</b>	PRUNUS Series
<b>Model</b>	PNRP99/GL – PNRP99/GL/WH – PNRP99//GL/A – PNRP99/WH/A
<b>Description</b>	Refrigeration counter with 2 crystal doors

### MAIN CHARACTERISTICS

- Material AISI 304
- Automatic evaporator of condensate water
- Auto-return mechanism on doors
- 1 shelf per door
- Evaporator protected against corrosion
- Operating Temperature 0°C / +10°C
- Injected polyurethane foam insulation
- Hygienically designed interior

### OPTIONS

- Worktop with upstand (+6cm)
- Wheels
- Without the worktop
- Choose the crystal doors/ inox drawers arrangements according to your needs

### STANDARDISATION



## TECHNICAL SPECIFICATIONS

---

Capacity (L)	270	Ambient Temp. (°C)	43
Weight gross (kg)	121	Refrigerant Type	R290
Weight net (kg)	108	Refrigerant Quantity (kg)	0,70
Operating Temp (°C)	0 / +10	Volts	230
Doors	2	Frequency (Hz)	50
Shelves	2	Rated Current (A)	2,3
Packaged Volume (m3)	0,97	Climate Class	4
Compressor Power (HP)	1/4+	Energy Class	C
Refrigerant Power (W)	837	KWh/year	1095

## DIMENSIONS

---





