



Series	PRUNUS Series
Model	PNRP9999/GL - PNRP9999/GL/WH - PNRP9999/GL/A - PNRP9999/GL/WH,
Description	Refrigeration counter with 4 crystal doors

MAIN CHARACTERISTICS

- Material AISI 304
- Automatic evaporator of condensate water
- Auto-return mechanism on doors
- 1 shelf per door
- Evaporator protected against corrosion
- Operating Temperature 0°C / +10°C
- Injected polyurethane foam insulation
- Hygienically designed interior

OPTIONS

- Worktop with upstand (+6cm)
- Wheels
- Without the worktop
- Choose the crystal doors/ inox drawers arrangements according to your needs



STANDARDISATION




TECHNICAL SPECIFICATIONS

Capacity (L)	571	Ambient Temp. (°C)	43
Weight gross (kg)	180	Refrigerant Type	R290
Weight net (kg)	164	Refrigerant Quantity (kg)	0,8
Operating Temp (°C)	0 / +10	Volts	230
Doors	4	Frequency (Hz)	50
Shelves	4	Rated Current (A)	2,8
Packaged Volume (m3)	1,59	Climate Class	4
Compressor Power (HP)	1/2-	Energy Class	C
Refrigerant Power (W)	1129	KWh/year	1862

DIMENSIONS





Worktop with upstand

