





	Manufacturer HALLDE
	Model CC-32S
	Product Description Combi Cutter 2 kg/minute
	Origin Sweden, European Union

SPECIFICATIONS

Function	Machine for slicing, shredding, grating and cutting julienne as well as grinding, chopping, blending and mixing. Processes fruit, vegetables, dry bread, cheese, nuts, mushrooms, meat, fish, etc.			
Capacity	2 kg/minute, 10-80 portions/day, 3 litre bowl. 0.9 litre feed cylinder, 53 mm tube feeder for elongated products.			
Material	Machine base: ABS-plastic. Knife chamber: ABS-plastic. Feeder top: polycarbonate and polyamide. Bowl: stainless steel. Knife unit: acetal. Knives: stainless steel. Lid and Scraper system: xylex.			
Motor	1.0 kW, Two speeds (500 rpm, 1450 rpm). 220-240 V, single phase, 50-60 Hz. Transmission: Toothed belt. Thermal protection.			
Power supply	Earthed, single phase, 10 A. Fuse: 10 A delayed action fuse.			
Standards	EN 12852+A1:2010. EN 1678+A1:2010. NSF/ANSI Standard 8.			
Directive and Regulation	2006/42/EC, 2006/95/EC, 2004/108/EC, 2011/65/EU, NO. 10/2011/EC.			
Safety	CE approved. Two safety switches, machine safety: IP34.			
Recommended accessories	4-pack cutting tools: <ul style="list-style-type: none"> • Slicer 2 mm • Slicer 4 mm • Grater/Shredder 4 mm • Julienne 2x2 mm 			
Weights	Machine: 9,4 kg		Freight: 12,4 kg	
Dimensions	Width	Height	Depth	Volume
Machine dimensions	285 mm	465 mm*	350 mm	
Freight dimensions	410 mm	715 mm	410 mm	0.120 m ³
* Maximum height with pusher plate open 585 mm				

<p>Specification text</p>	<p>Combination machine with half-moon feed cylinder and stainless steel bowl, made to process 2 kg/minute or 10-80 portions/day. Machine has two speeds which switch depending on what preparation top is mounted. Machine is controlled with a turning knob instead of buttons. Vegetable preparation top is of 0.9 litre with a tube feeder of 53 mm in diameter. Bowl is 3 litre and have a scraper system with three scrapers. Knives for bowl cutter are serrated. Machine base is made of ABS-plastic and the knife chamber of aluminium. Machine is controlled with a turning knob instead of buttons. Cutting tools are made of stainless steel, 185 mm in diameter and washable in dishwasher. Motor rotate the cutting blade clockwise via a self-tensioned toothed belt. Machine has handles for easy mobility.</p>
<p>Drawings</p>	<p>The drawings below can be downloaded at halde.com.</p> <div style="display: flex; flex-wrap: wrap; justify-content: space-around;"> <div style="text-align: center; margin: 10px;">  <p>CC32SCF.dwg</p> </div> <div style="text-align: center; margin: 10px;">  <p>CC32SCU.dwg</p> </div> <div style="text-align: center; margin: 10px;">  <p>CC32SCS.dwg</p> </div> <div style="text-align: center; margin: 10px;">  <p>CC32SFF.dwg</p> </div> <div style="text-align: center; margin: 10px;">  <p>CC32SFU.dwg</p> </div> <div style="text-align: center; margin: 10px;">  <p>CC32SFS.dwg</p> </div> </div>