



People who serve, products that solve.™

# DROP-IN & BUILT-IN HEATED SHELVES



# [ CHOICES ]

...THROUGH CUSTOMERIZATION



Due to our policy of continual product development and improvement, all details and specification are subject to change without notice.

*Unique Needs, Exact Solutions.*

**FSM** (FOOD SERVICE MACHINERY PTY. LTD.)  
**HEAD OFFICE:** UNIT E6, 63-85 TURNER STREET,  
PORT MELBOURNE, VIC. 3207 AUSTRALIA  
T: +61 3 8645 2555 F: +61 3 8645 2565  
E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**SYDNEY OFFICE:**  
UNIT 15, 7-9 PROGRESS CIRCUIT,  
PRESTONS, NSW 2170 AUSTRALIA  
T: +61 2 9608 8620 F: +61 2 9607 9370  
E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**QUEENSLAND:**  
T: 0400 099 992  
E: sales@fsm-pl.com.au  
W: www.fsm-pl.com.au




People who serve, products that solve.™

# BLACK GLASS SHELF

The Hatco Heated Black Glass Shelf has a smooth black glass to add just the right touch to any decor. Thermostatically-controlled ceramic surface creates uniform heat across the entire area that can range from 100° to 200° F (38° - 93° C). The black glass is foodsafe and allows you to place food product directly on the surface. The Choice is Yours.

- Lighted On/Off rocker switch
- Equipped with an attached trim mounting ring that is available in stainless steel (standard) or *Designer Black* powdercoated
- Includes a remote box with a 3' (914 mm) conduit and 6' (1829 mm) cord and plug



CODE	DIMENSIONS	WATTS
HBGB-2418	498 mm long x 610 mm wide	425
HBGB-3018	498 mm long x 762 mm wide	525
HBGB-3618	498 mm long x 914 mm wide	630
HBGB-4818	498 mm long x 1220 mm wide	850
HBGB-6018	498 mm long x 1524 mm wide	1050
HBGB-7218	498 mm long x 1828 mm wide	1260

Units over 914 mm (36") are constructed of two equal size pieces of glass.  
 Portable models include 102 mm (4") legs.  
 Recommended for use in a metallic countertop. For other surfaces, verify that the material is suitable for temperatures up to 94°C

Due to our policy of continual product development and improvement, all details and specification are subject to change without notice.

**FSM** (FOOD SERVICE MACHINERY PTY. LTD.)  
**HEAD OFFICE:** UNIT E6, 63-85 TURNER STREET,  
 PORT MELBOURNE, VIC. 3207 AUSTRALIA  
 T: +61 3 8645 2555 F: +61 3 8645 2565  
 E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**SYDNEY OFFICE:**  
 UNIT 15, 7-9 PROGRESS CIRCUIT,  
 PRESTONS, NSW 2170 AUSTRALIA  
 T: +61 2 9608 8620 F: +61 2 9607 9370  
 E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**QUEENSLAND:**  
 T: 0400 099 992  
 E: sales@fsm-pl.com.au  
 W: www.fsm-pl.com.au



People who serve, products that solve.™

# GLO-RAY® RECESSED TOP HEATED SHELF

Let Hatco add heat to your serving surface with the Glo-Ray® Built-in Heated Shelf. This 1/2" (13 mm) recessed top foodwarmer has a hardcoated aluminum top and blanket-type element for uniform heat to extend your food holding time. Widths from 25 1/2" to 73 1/2" (648-1867 mm). The Choice is Yours.

- 3' (914 mm) flexible conduit to a remote control enclosure
- Enclosure includes control thermostat, an illuminated power switch, and mounting brackets
- Thermostatically-controlled heated base



## GLO-RAY® RECESSED TOP HEATED SHELF

*GRSB-54-I with recessed top and accessory pans shown below a GRAL-96D with optional sneeze guard*

CODE	DIMENSIONS	WATTS
GRSB-24-I	610 mm long x 533 mm wide	550
GRSB-30-I	762 mm long x 533 mm wide	665
GRSB-36-I	914 mm long x 533 mm wide	780
GRSB-42-I	1067 mm long x 533 mm wide	885
GRSB-48-I	1219 mm long x 533 mm wide	1000
GRSB-54-I	1372 mm long x 533mm wide	1110
GRSB-60-I	1524 mm long x 533 mm wide	1220
GRSB-72-I	1829 mm long x 533 mm wide	1440

Due to our policy of continual product development and improvement, all details and specification are subject to change without notice.

**FSM** (FOOD SERVICE MACHINERY PTY. LTD.)  
**HEAD OFFICE:** UNIT E6, 63-85 TURNER STREET,  
 PORT MELBOURNE, VIC. 3207 AUSTRALIA  
 T: +61 3 8645 2555 F: +61 3 8645 2565  
 E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**SYDNEY OFFICE:**  
 UNIT 15, 7-9 PROGRESS CIRCUIT,  
 PRESTONS, NSW 2170 AUSTRALIA  
 T: +61 2 9608 8620 F: +61 2 9607 9370  
 E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**QUEENSLAND:**  
 T: 0400 099 992  
 E: sales @fsm-pl.com.au  
 W: www.fsm-pl.com.au



People who serve, products that solve.™

# GLO-RAY® FLUSH TOP HEATED SHELF

*GRSBF-60-0 with flush top and accessory pans shown below a GR2AL-96D in Designer Color with optional sneeze guards*



## GLO-RAY® FLUSH TOP HEATED SHELF

Another choice for your serving surface is the Glo-Ray Built-in Flush Top Heated Shelf. This foodwarmer has a hardcoated aluminum top and blanket-type element for uniform heat to extend your food holding time. Available in widths from 25½" to 73½" (648-1867 mm).

The Choice is Yours.

- Uniform heat distribution with hardcoated aluminum top and blanket-type element
- 3' (914 mm) flexible conduit to a remote control enclosure
- Enclosure includes control thermostat, an illuminated power switch, and mounting brackets
- Thermostatically-controlled heated base
- Optional stainless steel surface

CODE	DIMENSIONS	WATTS
GRSBF-24-I	Dimensions: 648 x 533 x 60 mm	550
GRSBF-30-I	Dimensions: 800 x 533 x 60 mm	665
GRSBF-36-I	Dimensions: 953 x 533 x 60 mm	780
GRSBF-42-I	Dimensions: 1105 x 533 x 60 mm	885
GRSBF-48-I	Dimensions: 1257 x 533 x 60 mm	1000
GRSBF-60-I	Dimensions: 1562 x 533 x 60 mm	1220
GRSBF-72-I	Dimensions: 1867 x 533 x 60 mm	1440

**FSM** (FOOD SERVICE MACHINERY PTY. LTD.)

**HEAD OFFICE:** UNIT E6, 63-85 TURNER STREET,  
PORT MELBOURNE, VIC. 3207 AUSTRALIA

T: +61 3 8645 2555 F: +61 3 8645 2565

E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**SYDNEY OFFICE:**

UNIT 15, 7-9 PROGRESS CIRCUIT,  
PRESTONS, NSW 2170 AUSTRALIA

T: +61 2 9608 8620 F: +61 2 9607 9370

E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**QUEENSLAND:**

T: 0400 099 992

E: sales@fsm-pl.com.au

W: www.fsm-pl.com.au




People who serve, products that solve.™

# SPECIFICATIONS

PLEASE REFERENCE PRODUCT SPECIFICATION SHEETS FOR INDIVIDUAL MODEL LISTINGS

## BUILT-IN HEATED BLACK GLASS SHELVES

**Model HBGB Heated Black Glass Shelves**  
Made of foodsafe materials. Available in 120 volts, single phase only, with a temperature range of 100-200° F (38°-93° C).




HBGB Countertop Cut-Out Dimensions

Model	Minimum Width	Maximum Width	Minimum Depth	Maximum Depth
HBGB-2418	625 mm	632 mm	473 mm	480 mm
HBGB-3018	778 mm	784 mm	473 mm	480 mm
HBGB-3618	930 mm	937 mm	473 mm	480 mm
HBGB-4818	1235 mm	1241 mm	473 mm	480 mm
HBGB-6018	1540 mm	1546 mm	473 mm	480 mm
HBGB-7218	1845 mm	1851 mm	473 mm	480 mm

## BUILT-IN HEATED STONE SHELVES

**Model GRSSB Built-in Heated Stone Shelves**  
Made of simulated stone foodsafe materials. Available in 120 volts, single phase only, with a temperature range of 100-200° F (38°-93° C). Models come in four Decorative Stone Colors.



GRSSB Countertop Cut-Out Dimensions

Model	Minimum Width	Maximum Width	Minimum Depth	Maximum Depth
GRSSB-2418	625 mm	632 mm	473 mm	480 mm
GRSSB-3018	778 mm	784 mm	473 mm	480 mm
GRSSB-3618	930 mm	937 mm	473 mm	480 mm
GRSSB-4818	1235 mm	1241 mm	473 mm	480 mm
GRSSB-6018	1540 mm	1546 mm	473 mm	480 mm
GRSSB-7218	1845 mm	1851 mm	473 mm	480 mm


## HEATED STONE COLORS




Printed colors are a representation and may not exactly match our Heated Stone Colors.

## GLO-RAY® BUILT-IN HEATED SHELVES

**Model GRSB Built-in Heated Shelf with Recessed Top**  
Available in 120 volts, single phase, for all units up to 1676 mm and 208 or 240 volts for 1829 mm units. Flush mount control box bezel available in seven Designer colors.



**Model GRSBF Built-in Heated Shelf with Flush Mount Top**  
Available in 120 volts, single phase, for all units up to 1524 mm and 208 or 240 volts for 1829 mm units. Flush mount control box bezel available in seven Designer colors. Optional Stainless Steel surface also available.



GRSB/GRSBF Countertop Cut-Out Dimensions

Item	Minimum Width	Maximum Width	Minimum Depth	Maximum Depth
GRSB-24-F/GRSBF-24-F	622 mm	629 mm	406 mm	413 mm
GRSB-24-I/GRSBF-24-I	622 mm	629 mm	508 mm	514 mm
GRSBF-24-S	622 mm	629 mm	622 mm	629 mm
GRSB-24-O/GRSBF-24-O	622 mm	629 mm	775 mm	781 mm
GRSB-30-F/GRSBF-30-F	775 mm	781 mm	406 mm	413 mm
GRSB-30-I/GRSBF-30-I	775 mm	781 mm	508 mm	514 mm
GRSBF-30-S	775 mm	781 mm	622 mm	629 mm
GRSB-30-O/GRSBF-30-O	775 mm	781 mm	775 mm	781 mm
GRSB-36-F/GRSBF-36-F	927 mm	934 mm	406 mm	413 mm
GRSB-36-I/GRSBF-36-I	927 mm	934 mm	508 mm	514 mm
GRSBF-36-S	927 mm	934 mm	622 mm	629 mm
GRSB-36-O/GRSBF-36-O	927 mm	934 mm	775 mm	781 mm
GRSB-42-F/GRSBF-42-F	1080 mm	1086 mm	406 mm	413 mm
GRSB-42-I/GRSBF-42-I	1080 mm	1086 mm	508 mm	514 mm
GRSBF-42-S	1080 mm	1086 mm	622 mm	629 mm
GRSB-42-O/GRSBF-42-O	1080 mm	1086 mm	775 mm	781 mm
GRSB-48-F/GRSBF-48-F	1232 mm	1238 mm	406 mm	413 mm
GRSB-48-I/GRSBF-48-I	1232 mm	1238 mm	508 mm	514 mm
GRSBF-48-S	1232 mm	1238 mm	622 mm	629 mm
GRSB-48-O/GRSBF-48-O	1232 mm	1238 mm	775 mm	781 mm
GRSB-54-I	1384 mm	1391 mm	508 mm	514 mm
GRSB-60-F/GRSBF-60-F	1537 mm	1543 mm	406 mm	413 mm
GRSB-60-I/GRSBF-60-I	1537 mm	1543 mm	508 mm	514 mm
GRSBF-60-S	1537 mm	1543 mm	622 mm	629 mm
GRSB-60-O/GRSBF-60-O	1537 mm	1543 mm	775 mm	781 mm
GRSB-66-I	1689 mm	1695 mm	508 mm	514 mm
GRSB-72-F/GRSBF-72-F	1842 mm	1848 mm	406 mm	413 mm
GRSB-72-I/GRSBF-72-I	1842 mm	1848 mm	508 mm	514 mm
GRSBF-72-S	1842 mm	1848 mm	622 mm	629 mm
GRSB-72-O/GRSBF-72-O	1842 mm	1848 mm	775 mm	781 mm

Due to our policy of continual product development and improvement, all details and specification are subject to change without notice.

**FSM** (FOOD SERVICE MACHINERY PTY. LTD.)  
HEAD OFFICE: UNIT E6, 63-85 TURNER STREET,  
PORT MELBOURNE, VIC. 3207 AUSTRALIA  
T: +61 3 8645 2555 F: +61 3 8645 2565  
E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**SYDNEY OFFICE:**  
UNIT 15, 7-9 PROGRESS CIRCUIT,  
PRESTONS, NSW 2170 AUSTRALIA  
T: +61 2 9608 8620 F: +61 2 9607 9370  
E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**QUEENSLAND:**  
T: 0400 099 992  
E: sales@fsm-pl.com.au  
W: www.fsm-pl.com.au