

## SYNERGY SG630 PRODUCT SPECIFICATIONS

- High quality stainless steel construction
- LPG or Natural Gas - fully convertible on site
- One burner with one simple on/off switch
- Fat is atomised and therefore no need for fat tray
- Easy Clean
- Scraper and Bar Lifter Tools included.
- Accessories available: Garnish Rail, Solid Griddle Plate, Integrated Shelving - Slow Cook Shelf, Resting Shelf



Shown with optional Garnish Rail

DESCRIPTION	INFORMATION
Power Supply	230v / 50Hz < 1kW via 10 amp socket
Electrical Power Cord	1.5m with 3 pin plug at rear
Gas	Natural or Propane Gas (inc Butane) - convertible at site
Energy Consumption	Natural Gas = 20.52 mJ 2.2mm Jet LPG = 27.36mJ 1.5mm Jet
Gas Connection	3/4" BSP
Burners	One burner, with simple on/off switch
External Dimensions	WxDxH 644 x 646 x 380mm (530mm with rear up stand)
Net Weight	80Kgs
Area of Cooking Grid	530 x 500mm (2650cm <sup>2</sup> )

**HEAD OFFICE:**

**SYDNEY OFFICE:**

**QUEENSLAND OFFICE:**

**PERTH:**

**SYNERGY SG900 PRODUCT SPECIFICATIONS**

- High quality stainless steel construction
- LPG or Natural Gas - fully convertible on site
- Two burners with individual simple on/off switches
- Fat is atomised and therefore no need for fat tray
- Easy Clean
- Scraper and Bar Lifter Tools included.
- Accessories available: Garnish Rail, Solid Griddle Plate, Integrated Shelving - Slow Cook Shelf, Resting Shelf



Shown with optional Garnish Rail

DESCRIPTION	INFORMATION
Power Supply	230v / 50Hz<1kW via 10 amp socket
Electrical Power Cord	1.5m with 3 pin plug at rear
Gas	Natural or Propane Gas (inc Butane) - convertible at site
Energy Consumption	Natural Gas =41mJ 2.2mm Jet LPG = 44 mJ 1.5mm Jet
Gas Connection	3/4" BSP
Burners	Two independent burners, with simple on/off switches
External Dimensions	WxDxH 905 x 646 x 380mm (530mm with rear up stand)
Net Weight	117Kgs
Area of Cooking Grid	800 x 500mm (4000cm2)

**HEAD OFFICE:**

**SYDNEY OFFICE:**

**QUEENSLAND OFFICE:**

**PERTH:**

**SYNERGY SGI300 PRODUCT SPECIFICATIONS**

- High quality stainless steel construction
- LPG or Natural Gas—fully convertible on site
- Three burners with individual simple on/off switches
- Fat is atomised and therefore no need for fat tray
- Easy Clean
- Accessories available: Garnish Rail, Solid Griddle Plate, Rotisseries, Integrated Shelving. Scraper and Bar Lifter Tools included.



Shown with optional Garnish Rail

DESCRIPTION	INFORMATION
Power Supply	230v / 50Hz<1kW via 10 amp socket
Electrical Power Cord	1.5m with 3 pin plug at rear
Gas	Natural or Propane Gas (inc Butane) - convertible at site
Energy Consumption	Natural Gas = 61.56mJ 2.2mm Jet LPG = 73.44mJ 1.5mm Jet
Gas Connection	3/4" BSP
Burners	Three independent burners, with simple on/off switches
External Dimensions	WxDxH 1304 x 705 x 380mm (530mm with rear up stand)
Net Weight	155Kg
Area of Cooking Grid	1200 x 554mm (6648cm <sup>2</sup> )



# SYNERGY GRILL

CLEVER COOKING

## OPTIONS


Synergy Garnish Rail



Synergy Griddle Plate



Synergy Resting Shelf



Synergy Slow Cooking Shelf



(Griddle Plates also shown)



**FSM** (FOOD SERVICE MACHINERY PTY. LTD.)

**HEAD OFFICE:**

21-23 Agosta Drive, Laverton North,  
Vic. 3026 Australia  
T: +61 3 9368 2300 F: +61 3 9369 3800  
E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**SYDNEY OFFICE:**

Unit 15, 7-9 Progress Circuit,  
Prestons, NSW 2170  
T: +61 2 9608 8620 F: +61 2 9607 9370  
E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**QUEENSLAND OFFICE:**

4/40 Rivergate Place,  
Murarrie, QLD 4172  
T: +61 7 3390 4185 F: +61 7 3393 9508  
E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**PERTH:**

T: 0413 893 311  
E: sales@fsm-pl.com.au  
W: www.fsm-pl.com.au