

# The Products







# The benchmark

Scotsman has focused single-mindedly on ice making technologies since the first day: over 60 years of enthusiasm and experience to be and remain the first and the best.  
**Innovative by tradition.**




# Worldwide footprint



Chicago



Shanghai



Milano

Scotsman produces its extensive and high quality ranges of products in 3 factories located in the USA, ITALY and CHINA.

This includes a large presence in 85 countries from the Pacific Rim in the East to Canada in the West, with strategic offices and hubs in Europe, America and Asia.

**Over 1.000.000 Scotsman ice machines installed.**



# Ice and its shapes




## Gourmet Ice

Crystal clear, pure, hard and long lasting ice cubes. Individually formed by spraying water onto a subcooled horizontal evaporator. Its fast cooling action and slow dilution make drinks chilled for a long time. Available in three different sizes and weights to meet any requirement in terms of ease of use and quality results.



## Dice Ice

Classic six sides ice cube. Its greater surface for heat exchange allows a fast chilling of all drinks. The vertical evaporator technology of this ice cube guarantees large ice production at lower operating costs. Available in several different sizes, it is highly appreciated in QSR and coffee chains applications.



## Nugget & Cubelet Ice

Compressed flake ice available in two different types: Nugget, regular micro-cubes and Cubelet, irregular chips. Nugget & Cubelet are suitable for multiple uses and are the fastest moving ice-type in QSR applications in the last few years. Excellent when used with carbonated drinks as well as smoothies and perfect for food and plates display. Long lasting ice, easy to use, high and fast displacement and no manipulation need are the success reasons of this type of ice.



## Flake Ice

Ice in its most natural shape, it is made at a temperature just below zero degrees Celsius. Highly versatile and suitable for multiple applications: fish display counters, buffet display, frozen drinks preparation as well as fast chilling of wine & champagne buckets. It comes in two different variations: Flake with 25% residual water content and Super Flake with 15% residual water content.




## Scale Ice

With less than 2% residual water content, it's very dry and it's the coldest form of ice. It's made by irregular fragments of ice with a variable thickness that can be adjusted between 1 to 2 mm. Ideal for industrial processes, for fish and sea-food display and perishable goods transportation, as well as to optimize dough temperature. Versatile, molding at any shape, melts at a slow and regular rate to keep food at maximum freshness.



# A top-class must: Gourmet ice makers



Ice horizontal evaporator and spray-system technology



**Small Gourmet**  
8 g / Ø 21 mm / H 25 mm



**Medium Gourmet**  
20 g / Ø 30 mm / H 34 mm



**Large Gourmet**  
39 g / Ø 38 mm / H 41 mm





# EC series: featuring Progressive Water Discharge



**EC 46**  
**Cube size:**  
Medium cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
24 kg Medium cubes  
1225 Medium cubes



**Storage bin capacity:**  
9 kg - 450 Medium cubes  
**Dimensions:**  
W 386 mm  
D 600 mm  
H 645 mm

**EC 56**  
**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
32 kg Medium cubes  
1625 Medium cubes



**Storage bin capacity:**  
12 kg - 625 Medium cubes  
**Dimensions:**  
W 386 mm  
D 600 mm  
H 695 mm

**EC 86**  
**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
39 kg Medium cubes  
1950 Medium cubes



**Storage bin capacity:**  
19 kg - 950 Medium cubes  
**Dimensions:**  
W 531 mm  
D 600 mm  
H 785 mm / 875 mm with legs

**EC 106**  
**Cube size:**  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
50 kg Medium cubes  
2500 Medium cubes



**Storage bin capacity:**  
23 kg - 1150 Medium cubes  
**Dimensions:**  
W 531 mm  
D 600 mm  
H 840 mm / 930 mm with legs

**EC 126**  
**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
74 kg Medium cubes  
3700 Medium cubes



**Storage bin capacity:**  
39 kg - 1950 Medium cubes  
**Dimensions:**  
W 680 mm  
D 600 mm  
H 920 mm / 1010 mm with legs

**EC 176**  
**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
85 kg Medium cubes  
4250 Medium cubes



**Storage bin capacity:**  
48 kg - 2400 Medium cubes  
**Dimensions:**  
W 680 mm  
D 600 mm  
H 990 mm / 1080 mm with legs

**EC 206**  
**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
137 kg Medium cubes  
6850 Medium cubes



**Storage bin capacity:**  
50 kg - 2500 Medium cubes  
**Dimensions:**  
W 1250 mm  
D 620 mm  
H 780 mm / 870 mm with legs

**EC 226**  
**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
150 kg Medium cubes  
7500 Medium cubes




**Storage bin capacity:**  
70 kg - 3500 Medium cubes  
**Dimensions:**  
W 1078 mm  
D 715 mm  
H 1006 mm / 1096 mm with legs

- **Agion:** the technology that makes products cleaner and longer lasting with built-in protection working 24/7 to resist the growth of microbes and the development of unpleasant odors.
- **Clean alert:** advises with a blink when it's time to clean the filter.
- **Electronic control:** ambient and water temperatures may change throughout the years but your ice machine will stay the same.
- **Front access condenser air filter:** a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.
- **Individual transparent solid cube:** each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.
- **Scale accumulation preventing system:** cages ice makers' enemy No. 1 in one place and makes it harmless.
- **Ergonomic access to ice with sliding disappearing door:** one-touch door lift, makes barman's life definitely easier.
- **PWD - Progressive Water Discharge:** releases exceeding residual water up to a distance of 15 meters.
- **Built-in storage bin:** allows most undercounter installation for easier fit-in solutions.

## Small and medium production



AC series



**AC 46**  
**Cube size:**  
Medium cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
24 kg Medium cubes  
1225 Medium cubes



**Storage bin capacity:**  
9 kg - 450 Medium cubes  
**Dimensions:**  
W 386 mm  
D 600 mm  
H 645 mm

**AC 56**  
**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
32 kg Medium cubes  
1625 Medium cubes



**Storage bin capacity:**  
12 kg - 625 Medium cubes  
**Dimensions:**  
W 386 mm  
D 600 mm  
H 695 mm

**AC 86**  
**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
39 kg Medium cubes  
1950 Medium cubes



**Storage bin capacity:**  
19 kg - 950 Medium cubes  
**Dimensions:**  
W 531 mm  
D 600 mm  
H 785 mm / 875 mm with legs

**AC 106**  
**Cube size:**  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
50 kg Medium cubes  
2500 Medium cubes



**Storage bin capacity:**  
23 kg - 1150 Medium cubes  
**Dimensions:**  
W 531 mm  
D 600 mm  
H 840 mm / 930 mm with legs

- **Agion:** the technology that makes products cleaner and longer lasting with built-in protection working 24/7 to resist the growth of microbes and the development of unpleasant odors.
- **Front access condenser air filter:** a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.
- **Individual transparent solid cube:** each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.
- **Scale accumulation preventing system:** cages ice makers' enemy No. 1 in one place and makes it harmless.
- **Electronic control:** (except AC 46, 56 and 86) ambient and water temperatures may change throughout the years but your ice machine will stay the same.
- **Ergonomic access to ice with sliding disappearing door:** one-touch door lift, makes barman's life definitely easier.
- **Built-in storage bin:** allows most undercounter installation for easier fit-in solutions.

**AC 126**  
**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
74 kg Medium cubes  
3700 Medium cubes



**Storage bin capacity:**  
39 kg - 1950 Medium cubes  
**Dimensions:**  
W 680 mm  
D 600 mm  
H 920 mm / 1010 mm with legs

**AC 176**  
**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
85 kg Medium cubes  
4250 Medium cubes



**Storage bin capacity:**  
48 kg - 2400 Medium cubes  
**Dimensions:**  
W 680 mm  
D 600 mm  
H 990 mm / 1080 mm with legs

**AC 206**  
**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
137 kg Medium cubes  
6850 Medium cubes



**Storage bin capacity:**  
50 kg - 2500 Medium cubes  
**Dimensions:**  
W 1250 mm  
D 620 mm  
H 780 mm / 870 mm with legs

**AC 226**  
**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
150 kg Medium cubes  
7500 Medium cubes




**Storage bin capacity:**  
70 kg - 3500 Medium cubes  
**Dimensions:**  
W 1078 mm  
D 715 mm  
H 1006 mm / 1096 mm with legs

Small and medium production



# MXG series



**MXG 328**  
**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
150 kg Medium cubes  
7500 Medium cubes



**Dimensions (Head only):**  
W 560 mm  
D 700 mm  
H 720 mm  
**Recommended bins:**  
SB 193, SB 322

**MXG 428**  
**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
195 kg Medium cubes  
9750 Medium cubes



**Dimensions (Head only):**  
W 560 mm  
D 700 mm  
H 720 mm  
**Recommended bins:**  
SB 193, SB 322

**MXG 438**  
**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
195 kg Medium cubes  
9750 Medium cubes



**Dimensions (Head only):**  
W 765 mm  
D 700 mm  
H 720 mm  
**Recommended bins:**  
SB 393, SB 530

**MXG 468 Propane**  
**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
150 kg Medium cubes  
7500 Medium cubes



**Dimensions (Head only):**  
W 765 mm  
D 700 mm  
H 720 mm  
**Recommended bins:**  
SB 393, SB 530

- **Agion:** the technology that makes products cleaner and longer lasting with built-in protection working 24/7 to resist the growth of microbes and the development of unpleasant odors.
- **Electronic control:** ambient and water temperatures may change throughout the years but your ice machine will stay the same.
- **External indicator lights:** keep ice maker's operations under constant surveillance.
- **Front access condenser air filter:** a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.
- **Global standard footprint:** strictly follows international imperial standards commonly adopted in the industry of reference.
- **Clean alert:** advises with a blink when it's time to clean the filter.
- **Individual transparent solid cube:** each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.
- **Head only ice maker:** requires a separate storage bin to store the ice produced.\*

**MXG 638**  
**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
340 kg Medium cubes  
17000 Medium cubes



**Dimensions (Head only):**  
W 765 mm  
D 700 mm  
H 1125 mm  
**Recommended bins:**  
SB 393, SB 530

**MXG 1038**  
**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
450 kg Medium cubes  
22500 Medium cubes



**Dimensions (Head only):**  
W 765 mm  
D 700 mm  
H 1235 mm  
**Recommended bins:**  
SB 393, SB 530

**DXG 35**  
**Cube size:**  
Medium cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
30 kg Medium cubes  
1500 Medium cubes



**Storage bin capacity:**  
11 kg - 550 Medium cubes  
**Dimensions:**  
W 380 mm  
D 515 mm  
H 1605 mm / 1695 with legs

## High production

EXTREME

## Dispenser

\* For all possible bin combinations available, please refer to chart at page 60.






Made for harsh and  
extreme environments



# Business casual: Dice ice makers



Ice vertical evaporator

CU / C Series



**Small Cube**  
5 g  
W 9,5 mm / D 22 mm / H 22 mm



**Medium Cube**  
10 g  
W 22 mm / D 22 mm / H 22 mm


MV Series



**Half Large Cube**  
6 g  
W 10 mm / D 24 mm / H 29 mm



**Dice Cube**  
10 g  
W 22 mm / D 24 mm / H 22 mm



**Large Cube**  
17 g  
W 29 mm / D 24 mm / H 29 mm

NU / NW Series



**Half Cube**  
6 g  
W 13 mm / D 26,5 mm / H 26 mm



**Medium Cube**  
10 g  
W 22 mm / D 22 mm / H 22 mm




**Full Cube**  
12 g  
W 26,5 mm / D 26,5 mm / H 26 mm





# Prodigy series: the ultimate solution



**CU 0415**  
**Cube size:**  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
23 kg Medium cubes  
2300 Medium cubes



**Storage bin capacity:**  
16 kg - 1600 Medium cubes  
**Dimensions:**  
W 381 mm  
D 610 mm  
H 811 mm / 954 with legs

**CU 0715**  
**Cube size:**  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
32 kg Medium cubes  
3200 Medium cubes



**Storage bin capacity:**  
16 kg - 1600 Medium cubes  
**Dimensions:**  
W 381 mm  
D 610 mm  
H 811 mm / 954 with legs

**CU 0920**  
**Cube size:**  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
39 kg Medium cubes  
3900 Medium cubes



**Storage bin capacity:**  
26 kg - 2600 Medium cubes  
**Dimensions:**  
W 508 mm  
D 610 mm  
H 811 mm / 954 with legs

**CU 2026**  
**Cube size:**  
Small cube  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
90 kg Medium cubes  
9000 Medium cubes



**Storage bin capacity:**  
36 kg - 3600 Medium cubes  
**Dimensions:**  
W 660 mm  
D 695 mm  
H 834 mm / 986 with legs

- **Agion:** the technology that makes products cleaner and longer lasting with built-in protection working 24/7 to resist the growth of microbes and the development of unpleasant odors.
- **One touch cleaning:** reduces labor costs and saves time.
- **Electronic control:** ambient and water temperatures may change throughout the years but your ice machine will stay the same.
- **Front access condenser air filter:** a do-it-yourself cleaning operation that saves time and money and makes your ice machine live longer.
- **Water sense adaptive purge control:** uses just as much water as it is actually needed, limiting wastage to the minimum.
- **CU range - built-in storage bin:** allows most undercounter installation for easier fit-in solutions.
- **C range - head only ice maker:** requires a separate storage bin to store the ice produced. Also suitable for installation on beverage fountains/dispensers.\*

**CU 3030**  
**Cube size:**  
Small cube  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
130 kg Medium cubes  
13000 Medium cubes



**Storage bin capacity:**  
50 kg - 5000 Medium cubes  
**Dimensions:**  
W 762 mm  
D 762 mm  
H 832 mm / 984 with legs

**Scotsman**  
Ice Systems

**C 0322**  
**Cube size:**  
Small cube  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
137 kg Medium cubes  
13700 Medium cubes



**Dimensions (Head only):**  
W 559 mm  
D 610 mm  
H 584 mm  
**Recommended bins:**  
SB 193, SB 322

**C 0522**  
**Cube size:**  
Small cube  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
214 kg Medium cubes  
21400 Medium cubes



**Dimensions (Head only):**  
W 559 mm  
D 610 mm  
H 584 mm  
**Recommended bins:**  
SB 193, SB 322

Small and medium production


High production

**PRODIGY**  
PLUS

\* For all possible bin combinations available, please refer to chart at page 60.



# Prodigy series



**C 0530**  
**Cube size:**  
Small cube  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
217 kg Medium cubes  
21700 Medium cubes



**Dimensions (Head only):**  
W 762 mm  
D 610 mm  
H 584 mm  
**Recommended bins:**  
SB 393, SB 530

**C 0630**  
**Cube size:**  
Small cube  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
300 kg Medium cubes  
30000 Medium cubes



**Dimensions (Head only):**  
W 762 mm  
D 610 mm  
H 584 mm  
**Recommended bins:**  
SB 393, SB 530

**C 0830**  
**Cube size:**  
Small cube  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
360 kg Medium cubes  
36000 Medium cubes



**Dimensions (Head only):**  
W 762 mm  
D 610 mm  
H 737 mm  
**Recommended bins:**  
SB 393, SB 530

**C 1030**  
**Cube size:**  
Small cube  
Medium cube  
**Condensing system:**  
Air cooled  
Air cooled remote  
**Max daily production:**  
416 kg Medium cubes  
41600 Medium cubes



**Dimensions (Head only):**  
W 762 mm  
D 610 mm  
H 737 mm  
**Recommended bins:**  
SB 393, SB 530

**C 1448**  
**Cube size:**  
Small cube  
Medium cube  
**Condensing system:**  
Air cooled  
Air cooled remote  
**Max daily production:**  
636 kg Medium cubes  
63600 Medium cubes



**Dimensions (Head only):**  
W 1219 mm  
D 610 mm  
H 737 mm  
**Recommended bins:**  
SB 948

**C 1848**  
**Cube size:**  
Small cube  
Medium cube  
**Condensing system:**  
Air cooled  
Air cooled remote  
**Max daily production:**  
736 kg Medium cubes  
73600 Medium cubes



**Dimensions (Head only):**  
W 1219 mm  
D 610 mm  
H 737 mm  
**Recommended bins:**  
SB 948

**C 2148**  
**Cube size:**  
Small cube  
Medium cube  
**Condensing system:**  
Air cooled remote  
**Max daily production:**  
869 kg Medium cubes  
86900 Medium cubes



**Dimensions (Head only):**  
W 1219 mm  
D 610 mm  
H 737 mm  
**Recommended bins:**  
SB 948

- **Agion:** the technology that makes products cleaner and longer lasting with built-in protection working 24/7 to resist the growth of microbes and the development of unpleasant odors.
- **One touch cleaning:** reduces labor costs and saves time.
- **Electronic control:** ambient and water temperatures may change throughout the years but your ice machine will stay the same.
- **Front access condenser air filter:** a do-it-yourself cleaning operation that saves time and money and makes your ice machine live longer.
- **Water sense adaptive purge control:** uses just as much water as it is actually needed, limiting wastage to the minimum.
- **Head only ice maker:** requires a separate storage bin to store the ice produced. Also suitable for installation on beverage fountains/dispensers.\*


**Scotsman**  
Ice Systems

High production **PRODIGY PLUS**

\* For all possible bin combinations available, please refer to chart at page 60.



# MV series: the fit-all solution



**MV 306**  
**Cube size:**  
Half Large cube  
Dice cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
154 kg Dice cubes  
15400 Dice cubes



**Dimensions (Head only):**  
W 560 mm  
D 614 mm  
H 575 mm  
**Recommended bins:**  
SB 193, SB 322

**MV 426**  
**Cube size:**  
Half Large cube  
Dice cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
225 kg Dice cubes  
22500 Dice cubes



**Dimensions (Head only):**  
W 560 mm  
D 614 mm  
H 660 mm  
**Recommended bins:**  
SB 193, SB 322

**MV 430 Propane**  
**Cube size:**  
Half Large cube  
Dice cube  
Large cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
210 kg Dice cubes  
21000 Dice cubes



**Dimensions (Head only):**  
W 560 mm  
D 614 mm  
H 660 mm  
**Recommended bins:**  
SB 193, SB 322

**MV 456**  
**Cube size:**  
Half Large cube  
Dice cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
240 kg Dice cubes  
24000 Dice cubes



**Dimensions (Head only):**  
W 760 mm  
D 620 mm  
H 575 mm  
**Recommended bins:**  
SB 393, SB 530

- **Agion:** the technology that makes products cleaner and longer lasting with built-in protection working 24/7 to resist the growth of microbes and the development of unpleasant odors.
- **Electronic control:** ambient and water temperatures may change throughout the years but your ice machine will stay the same.
- **Front evaporator:** immediate access to the evaporating plate for quick self-maintenance operations.
- **Head only ice maker:** requires a separate storage bin to store the ice produced.\*

**MV 460 Propane**  
**Cube size:**  
Half Large cube  
Dice cube  
Large cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
220 kg Dice cubes  
22000 Dice cubes



**Dimensions (Head only):**  
W 760 mm  
D 620 mm  
H 575 mm  
**Recommended bins:**  
SB 393, SB 530

**MV 606**  
**Cube size:**  
Half Large cube  
Dice cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
320 kg Dice cubes  
32000 Dice cubes



**Dimensions (Head only):**  
W 760 mm  
D 620 mm  
H 575 mm  
**Recommended bins:**  
SB 393, SB 530

**MV 806**  
**Cube size:**  
Half Large cube  
Dice cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
Air cooled remote  
**Max daily production:**  
430 kg Dice cubes  
43000 Dice cubes



**Dimensions (Head only):**  
W 760 mm  
D 620 mm  
H 725 mm  
**Recommended bins:**  
SB 393, SB 530

**MV 1006**  
**Cube size:**  
Half Large cube  
Dice cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
Air cooled remote  
**Max daily production:**  
465 kg Dice cubes  
46500 Dice cubes



**Dimensions (Head only):**  
W 760 mm  
D 620 mm  
H 725 mm  
**Recommended bins:**  
SB 393, SB 530



## High production

\* For all possible bin combinations available, please refer to chart at page 60.



# Easy series: the no-frills solution



**NU 100**  
**Cube size:**  
Half cube  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
45 kg Medium cubes  
4500 Medium cubes



**Storage bin capacity:**  
20 kg - 2000 Medium cubes  
**Dimensions:**  
W 600 mm  
D 610 mm  
H 744 mm  
770 mm with short legs  
875 mm with longer legs

**NU 150**  
**Cube size:**  
Half cube  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
68 kg Medium cubes  
6800 Medium cubes



**Storage bin capacity:**  
20 kg - 2000 Medium cubes  
**Dimensions:**  
W 600 mm  
D 610 mm  
H 744 mm  
770 mm with short legs  
875 mm with longer legs

**NU 220**  
**Cube size:**  
Half cube  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
100 kg Medium cubes  
10000 Medium cubes



**Storage bin capacity:**  
37 kg - 3700 Medium cubes  
**Dimensions:**  
W 650 mm  
D 690 mm  
H 842 mm  
870 mm with short legs

**NU 300**  
**Cube size:**  
Half cube  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
135 kg Medium cubes  
13500 Medium cubes



**Storage bin capacity:**  
37 kg - 3700 Medium cubes  
**Dimensions:**  
W 650 mm  
D 690 mm  
H 869 mm  
1003 mm with longer legs

## Small and medium production

- NU series**
- **Front-in & front-out air flow:** no need to leave space on the back.
  - **Front access condenser air filter:** a do-it-yourself cleaning operation that saves time and money and make your ice maker live longer.
  - **Ergonomic access to ice with sliding disappearing door:** one touch door lift, makes barman's life definitely easier.
  - **Easy cleaning:** through routine maintenance.
  - **Built-in storage bin:** allows undercounter installation for easier fit-in solution, specifically for coffee shops.

- NW series**
- **Global standard footprint:** strictly follows international imperial standards commonly adopted in the industry of reference.
  - **One touch cleaning:** reduces labor costs and saves time and simplifies cleaning process.
  - **Front evaporator access:** immediate access to the evaporating plate for quick self-maintenance operations.
  - **Stackable:** add flexibility!
  - **Head only ice maker:** requires a separate storage bin to collect the ice produced\*.

**NW 458**  
**Cube size:**  
Half cube  
Full cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
200 kg Full cubes  
16670 Full cubes



**Dimensions (Head only):**  
W 760 mm  
D 620 mm  
H 575 mm  
**Recommended bins:**  
SB 393, SB 530

**NW 608**  
**Cube size:**  
Half cube  
Full cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
280 kg Full cubes  
23330 Full cubes



**Dimensions (Head only):**  
W 760 mm  
D 620 mm  
H 575 mm  
**Recommended bins:**  
SB 393, SB 530

**NW 1008**  
**Cube size:**  
Half cube  
Full cube  
**Condensing system:**  
Air cooled  
Water cooled  
Air cooled remote  
**Max daily production:**  
456 kg Full cubes  
38000 Full cubes



**Dimensions (Head only):**  
W 760 mm  
D 620 mm  
H 800 mm  
**Recommended bins:**  
SB 530, SB 948

## High production



\* For all possible bin combinations available, please refer to chart at page 60.






Over one million  
Scotsman ice makers  
installed in the world



# The pure and simple: Nugget & Cubelet ice makers



Ice evaporator with stainless steel auger



**Nugget**  
1 g / Ø 11 mm / H 13 mm  
Residual water content 8%



**Cubelet**  
1 g / W 16 mm / D 15 x 7-8 mm  
Residual water content 8%





# The universal ice: Nugget



## N 622

**Ice type:**  
Nugget  
**Condensing system:**  
Air cooled  
**Max daily production:**  
266 kg



**Dimensions (Head only):**  
W 559 mm  
D 610 mm  
H 585 mm  
**Recommended bins:**  
SB 193, SB 322

## N 922

**Ice type:**  
Nugget  
**Condensing system:**  
Air cooled  
**Max daily production:**  
345 kg



**Dimensions (Head only):**  
W 559 mm  
D 610 mm  
H 686 mm  
**Recommended bins:**  
SB 393, SB 530

## High production



**Scotsman®**  
Ice Systems

- **Agion:** the technology that makes products cleaner and longer lasting with built-in protection working 24/7 to resist the growth of microbes and the development of unpleasant odors.
- **Electronic control:** ambient and water temperatures may change throughout the years but your ice machine will stay the same.
- **External indicator lights:** keep ice machine's operations under constant surveillance.
- **Plug-and-work technology:** starts off and constantly produces ice thanks to a no-cycle harvesting system.
- **Water in / ice out concept** (no cycles, zero water wastage): limits to almost zero exceeding energy, water and time wastage.
- **Head only ice maker:** requires a separate storage bin to store the ice produced.\*

## MFN S 46

**Ice type:**  
Nugget  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
270 kg



**Dimensions (Head only):**  
W 538 mm  
D 663 mm  
H 650 mm  
**Recommended bins:**  
SB 193, SB 322

## MFN S 56

**Ice type:**  
Nugget  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
470 kg



**Dimensions (Head only):**  
W 538 mm  
D 663 mm  
H 790 mm  
**Recommended bins:**  
SB 393, SB 530

## MFN S 86

**Ice type:**  
Nugget  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
1900 kg



**Dimensions:**  
W 1080 mm  
D 780 mm  
H 1140 mm / 1255 mm with legs  
**Recommended bins:**  
UBH 2250, SIS 1350

## MFN S 88 Split

**Ice type:**  
Nugget  
**Condensing system:**  
For connection to dedicated or centralized refrigeration system  
**Max daily production:**  
1900 kg




**Dimensions:**  
W 540 mm  
D 780 mm  
H 1140 mm / 1255 mm with legs  
**Recommended bins:**  
UBH 2250, SIS 1350

## High production

\* For all possible bin combinations available, please refer to chart at page 60.



# The chewable ice®: Cubelet



**HID 312**  
**Ice type:**  
Cubelet  
**Condensing system:**  
Air cooled  
**Max daily production:**  
100 kg



**Storage bin capacity:**  
5 kg  
**Dimensions:**  
W 415 mm  
D 619 mm  
H 886 mm / 988 with legs

meridian

**HID 525**  
**Ice type:**  
Cubelet  
**Condensing system:**  
Air cooled  
**Max daily production:**  
180 kg



**Storage bin capacity:**  
11 kg  
**Dimensions:**  
W 542 mm  
D 597 mm  
H 886 mm / 988 with legs

meridian

**TC S-L 180 AS**  
**Ice type:**  
Cubelet  
**Condensing system:**  
Air cooled  
**Options:**  
Long Range  
Short Range  
**Max daily production:**  
135 kg  
Touch free dispensing model  
Ice & water configuration



**Storage bin capacity:**  
Long Range: 9 kg  
Short Range: 5 kg  
**Dimensions Long Range:**  
W 390 mm - D 660 mm - H 874 mm  
**Dimensions Short Range:**  
W 390 mm - D 600 mm - H 874 mm

**TC S-L 180 ASM**  
**Ice type:**  
Cubelet  
**Condensing system:**  
Air cooled  
**Options:**  
Long Range  
Short Range  
**Max daily production:**  
135 kg  
Manual version with 2 push buttons



**Storage bin capacity:**  
Long Range: 9 kg  
Short Range: 5 kg  
**Dimensions Long Range:**  
W 390 mm - D 660 mm - H 874 mm  
**Dimensions Short Range:**  
W 390 mm - D 600 mm - H 874 mm

- Meridian**
- **Agion:** the technology that makes products cleaner and longer lasting with built-in protection working 24/7 to resist the growth of microbes and the development of unpleasant odors.
  - **Smarter construction:** stainless steel evaporator and exterior panels, greaseless bearings for reduced maintenance and a larger sink opening and dispensing area makes the dispenser quite appealing.
  - **More convenient front access:** removable front panels allow ease of access and service to all key internal components, including removable storage bin for better cleaning and maintenance access.
  - **Quieter operation:** improved condenser fan function.

- TC180**
- **Agion:** the technology that makes products cleaner and longer lasting with built-in protection working 24/7 to resist the growth of microbes and the development of unpleasant odors.
  - **Appealing and elegant design:** it can be smartly positioned in any ambient, from luxury lounges to unconventional traditional pubs, allowing customers to cool their drinks as per their own taste, without any sanitary hazards.
  - **3 different versions:** touch-free or push-button, any need and preference can be met.

- AFC series**
- **Agion:** the technology that makes products cleaner and longer lasting with built-in protection working 24/7 to resist the growth of microbes and the development of unpleasant odors.
  - **Electronic control:** ambient and water temperatures may change throughout the years but your ice maker will stay the same.
  - **Front access condenser air filter:** a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.
  - **PWD - Progressive Water Discharge (optional):** releases exceeding residual water up to a distance of 15 meters.
  - **Built-in storage bin:** allows undercounter installation for easier fit-in solution.

**TC S-L 180 EVO**  
**Ice type:**  
Cubelet  
**Condensing system:**  
Air cooled  
**Options:**  
Long Range  
Short Range  
**Max daily production:**  
135 kg  
No push buttons in the front



**Storage bin capacity:**  
Long Range: 9 kg  
Short Range: 5 kg  
**Dimensions Long Range:**  
W 390 mm - D 660 mm - H 874 mm  
**Dimensions Short Range:**  
W 390 mm - D 600 mm - H 874 mm

**AFC 80**  
**Ice type:**  
Cubelet  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
80 kg



**Storage bin capacity:**  
25 kg  
**Dimensions:**  
W 535 mm  
D 626 mm  
H 810 mm / 939 mm with legs

**AFC 134**  
**Ice type:**  
Cubelet  
**Condensing system:**  
Air cooled  
Water cooled  
**Optional:**  
PWD - Progressive Water Discharge  
**Max daily production:**  
130 kg



**Storage bin capacity:**  
40 kg  
**Dimensions:**  
W 950 mm  
D 605 mm  
H 795 mm / 885 mm with legs

## Dispensers

## Medium production






Escaping the heat




# The pure freshness: Flake ice makers



Ice evaporator and stainless steel auger



**Flake Ice**  
Residual water content 25%




**Superflake Ice**  
Residual water content 15%





# Flaker series



**AF 80**  
**Ice type:**  
Flake  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
73 kg



**Storage bin capacity:**  
25 kg  
**Dimensions:**  
W 535 mm  
D 626 mm  
H 800 mm / 890 mm with legs

**AF 103**  
**Ice type:**  
Flake  
**Condensing system:**  
Air cooled  
Water cooled  
**Optional:**  
PWD - Progressive Water Discharge  
**Max daily production:**  
108 kg



**Storage bin capacity:**  
30 kg  
**Dimensions:**  
W 592 mm  
D 622 mm  
H 997 mm / 1087mm with legs

**AF 124**  
**Ice type:**  
Flake  
**Condensing system:**  
Air cooled  
Water cooled  
**Optional:**  
PWD - Progressive Water Discharge  
**Max daily production:**  
120 kg



**Storage bin capacity:**  
40 kg  
**Dimensions:**  
W 950 mm  
D 605 mm  
H 795 mm / 885 mm with legs

**AF 156**  
**Ice type:**  
Flake  
**Condensing system:**  
Air cooled  
Water cooled  
**Optional:**  
PWD - Progressive Water Discharge  
**Max daily production:**  
160 kg



**Storage bin capacity:**  
60 kg  
**Dimensions:**  
W 950 mm  
D 605 mm  
H 1006 mm / 1096 mm with legs

- **Agion:** the technology that makes products cleaner and longer lasting with built-in protection working 24/7 to resist the growth of microbes and the development of unpleasant odors.
- **Clean alert:** advises with a blink when it's time to clean the filter.
- **Electronic control:** ambient and water temperatures may change throughout the years but your ice maker will stay the same.
- **Front access condenser air filter:** a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.
- **PWD - Progressive Water Discharge (optional):** releases exceeding residual water up to a distance of 15 meters.
- **Water in / ice out concept (no cycles, zero water wastage):** limits to almost zero exceeding energy, water and time wastage.
- **Ergonomic access to ice with sliding disappearing door:** one-touch door lift, makes barman's life definitely easier.
- **AF series - built-in storage bin:** allows most undercounter installation for easier fit-in solutions.
- **MF series - head only ice maker:** requires a separate storage bin to store the ice produced.\*

**AF 206**  
**Ice type:**  
Flake  
**Condensing system:**  
Air cooled  
Water cooled  
**Optional:**  
PWD - Progressive Water Discharge  
**Max daily production:**  
200 kg



**Storage bin capacity:**  
60 kg  
**Dimensions:**  
W 950 mm  
D 605 mm  
H 1006 mm / 1096 mm with legs

**MF 26**  
**Ice type:**  
Flake  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
120 kg



**Dimensions (Head only):**  
W 564 mm  
D 536 mm  
H 531 mm  
**Recommended bins:**  
SB 193, SB 322

**MF 36**  
**Ice type:**  
Flake  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
200 kg



**Dimensions (Head only):**  
W 564 mm  
D 536 mm  
H 531 mm  
**Recommended bins:**  
SB 193, SB 393


## Small and medium production

## High production

\* For all possible bin combinations available, please refer to chart at page 60.



# Flaker series



**MF 46**  
**Ice type:**  
Superflake  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
330 kg



**Dimensions (Head only):**  
W 538 mm  
D 663 mm  
H 650 mm  
**Recommended bins:**  
SB 193, SB 322

**MF 47 Propane**  
**Ice type:**  
Superflake  
**Condensing system:**  
Air cooled  
**Max daily production:**  
320 kg



**Dimensions (Head only):**  
W 538 mm  
D 663 mm  
H 650 mm  
**Recommended bins:**  
SB 193, SB 322

**MF 56**  
**Ice type:**  
Superflake  
**Condensing system:**  
Air cooled  
Water cooled  
Air cooled remote  
**Max daily production:**  
600 kg



**Dimensions (Head only):**  
W 538 mm  
D 663 mm  
H 790 mm  
**Recommended bins:**  
SB 393, SB 530, SB 948, SB 1025

**MF 58 Split**  
**Ice type:**  
Superflake  
**Condensing system:**  
For connection to dedicated  
or centralized refrigeration system  
**Max daily production:**  
600 kg



**Dimensions (Head only):**  
W 538 mm  
D 663 mm  
H 790 mm  
**Recommended bins:**  
SB 530, SB 948, SB 1025

- **Agion:** the technology that makes products cleaner and longer lasting with built-in protection working 24/7 to resist the growth of microbes and the development of unpleasant odors.
- **Electronic control:** ambient and water temperatures may change throughout the years but your ice maker will stay the same.
- **External indicator lights:** keeps ice maker's operations under constant surveillance.
- **Plug-and-work technology:** starts off and constantly produces ice thanks to a no-cycle harvesting system.
- **Global standard footprint:** strictly follows international imperial standards commonly adopted in the industry of reference.
- **Water in / ice out concept** (no cycles, zero water wastage): limits to almost zero exceeding energy, water and time wastage.
- **Head only ice maker:** requires a separate storage bin to store the ice produced.\*

**MF 59 Split Co2**  
**Ice type:**  
Superflake  
**Condensing system:**  
For connection to dedicated  
or centralized refrigeration system  
**Max daily production:**  
700 kg



**Dimensions (Head only):**  
W 538 mm  
D 663 mm  
H 790 mm  
**Recommended bins:**  
SB 393, SB 530

**MF 66**  
**Ice type:**  
Superflake  
**Condensing system:**  
Air cooled  
Water cooled  
Air cooled remote  
**Max daily production:**  
1150 kg



**Dimensions (Head only):**  
W 1065 mm  
D 698 mm  
H 850 mm  
**Recommended bins:**  
SB 948, SB 1025, UBH 1100,  
UBH 1600

**MF 68 Split**  
**Ice type:**  
Superflake  
**Condensing system:**  
For connection to dedicated  
or centralized refrigeration system  
**Max daily production:**  
1220 kg



**Dimensions (Head only):**  
W 538 mm  
D 663 mm  
H 790 mm  
**Recommended bins:**  
SB 948, SB 1025, UBH 1100,  
UBH 1600

## High production

\* For all possible bin combinations available, please refer to chart at page 60.



**MF 69 Split Co2**

**Ice type:**  
Superflake  
**Condensing system:**  
For connection to dedicated  
or centralized refrigeration system  
**Max daily production:**  
1400 kg



**Dimensions (Head only):**  
W 538 mm  
D 663 mm  
H 790 mm  
**Recommended bins:**  
SB 948, SB 1025, UBH 1100,  
UBH 1600

**MF 86**

**Ice type:**  
Superflake  
**Condensing system:**  
Air cooled  
Water cooled  
Air cooled remote  
**Max daily production:**  
2500 kg



**Dimensions:**  
W 1080 mm  
D 780 mm  
H 1140 mm / 1255 mm with legs  
**Recommended bins:**  
UBH 2250, SIS 1350

**MF 88 Split**

**Ice type:**  
Superflake  
**Condensing system:**  
For connection to dedicated  
or centralized refrigeration system  
**Max daily production:**  
2500 kg



**Dimensions:**  
W 540 mm  
D 780 mm  
H 1140 mm / 1255 mm with legs  
**Recommended bins:**  
UBH 2250, SIS 1350


Delivering pure freshness

High production

\* For all possible bin combinations available, please refer to chart at page 60.



# The tough guys: Scale ice makers



The drum




**Scale Ice**  
Residual water content 2%





# Horizontal drum



- **Stainless steel horizontal evaporating drum:** for a life-long working endurance.
- **Floor standing compatible:** delivers ice straight into carts, trolleys or ice boxes.
- **Plug-and-work technology:** starts off and constantly produces ice thanks to a no-cycle harvesting system.
- **All water in / all ice out concept** (no cycles, zero water wastage): limits to almost zero exceeding energy, water and time wastage.
- **Compact configuration:** includes evaporator, compressor and condensing units, and it is supplied without panels on the group (optional).

## MAR 56

**Ice type:**  
Scale ice  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
426 kg



**Dimensions:**  
W 906 mm  
D 621 mm + 192 mm  
H 1125 mm

## MAR 76

**Ice type:**  
Scale ice  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
570 kg



**Dimensions:**  
W 906 mm  
D 621 mm + 192 mm  
H 1125 mm

## MAR 106

**Ice type:**  
Scale ice  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
785 kg



**Dimensions:**  
W 906 mm  
D 621 mm + 192 mm  
H 1125 mm

## MAR 126

**Ice type:**  
Scale ice  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
1000 kg



**Dimensions:**  
W 906 mm  
D 621 mm + 192 mm  
H 1125 mm

## MAR 206

**Ice type:**  
Scale ice  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
1850 kg



**Dimensions:**  
W 1326 mm  
D 676 mm + 177 mm  
H 1125 mm

## MAR 306

**Ice type:**  
Scale ice  
**Condensing system:**  
Air cooled remote  
Water cooled  
**Max daily production:**  
2450 kg



**Dimensions:**  
W 1326 mm  
D 676 mm + 177 mm  
H 1125 mm

# Compact configuration





# Horizontal drum



- **Stainless steel horizontal evaporating drum:** for a life-long working endurance.
- **Floor standing compatible:** delivers ice straight into carts, trolleys or ice boxes.
- **Plug-and-work technology:** starts off and constantly produces ice thanks to a no-cycle harvesting system.
- **All water in / all ice out concept** (no cycles, zero water wastage): limits to almost zero exceeding energy, water and time wastage.
- **Split configuration:** evaporator supplied only. For connections to remote condensing units, either dedicated or centralized.

## MAR 78 Split

**Ice type:**  
Scale ice  
**Condensing system:**  
For connection to dedicated  
or centralized refrigeration system  
**Max daily production:**  
570 kg



**Dimensions:**  
W 906 mm  
D 621 mm + 192 mm  
H 520 mm

## MAR 108 Split

**Ice type:**  
Scale ice  
**Condensing system:**  
For connection to dedicated  
or centralized refrigeration system  
**Max daily production:**  
785 kg



**Dimensions:**  
W 906 mm  
D 621 mm + 192 mm  
H 520 mm

## MAR 128 Split

**Ice type:**  
Scale ice  
**Condensing system:**  
For connection to dedicated  
or centralized refrigeration system  
**Max daily production:**  
1450 kg



**Dimensions:**  
W 906 mm  
D 621 mm + 192 mm  
H 520 mm

## MAR 208 Split

**Ice type:**  
Scale ice  
**Condensing system:**  
For connection to dedicated  
or centralized refrigeration system  
**Max daily production:**  
1850 kg



**Dimensions:**  
W 1326 mm  
D 661 mm + 192 mm  
H 520 mm

## MAR 308 Split

**Ice type:**  
Scale ice  
**Condensing system:**  
For connection to dedicated  
or centralized refrigeration system  
**Max daily production:**  
2450 kg




**Dimensions:**  
W 1326 mm  
D 661 mm + 192 mm  
H 520 mm

# Split configuration





# Vertical drum



**ES 1014**  
**Ice type:**  
Scale ice  
**Condensing system:**  
For connection to dedicated  
or centralized refrigeration system  
**Max daily production:**  
1400 kg



**Dimensions:**  
W 622 mm  
D 753 mm  
H 821 mm

**ES 2040**  
**Ice type:**  
Scale ice  
**Condensing system:**  
For connection to dedicated  
or centralized refrigeration system  
**Max daily production:**  
3000 kg



**Dimensions:**  
W 833 mm  
D 1000 mm  
H 1395 mm

**ES 4050**  
**Ice type:**  
Scale ice  
**Condensing system:**  
For connection to dedicated  
or centralized refrigeration system  
**Max daily production:**  
5000 kg



**Dimensions:**  
W 1103 mm  
D 1303 mm  
H 1467 mm

- SPLIT CONFIGURATION**
- **Stainless steel evaporating drum:** for a life long working endurance.
  - **Condensing system:** to be connected to remote condensing units, either dedicated or centralized.
  - **Possible installations:** top of coldrooms, containers or silos.

- COMPACT CONFIGURATION**
- **Stainless steel evaporating drum:** for a life long working endurance.
  - **Plug-and-work technology:** starts off and constantly produces ice thanks to a no cycle harvesting system.
  - **Possible installations:** top of coldrooms, containers or silos.

**EC 25 AS**  
**EC 30 AS**  
**EC 40 AS**  
**EC 50 AS**  
**Ice type:**  
Scale ice  
**Max daily production:**  
from 2500 to 5000 kg



## Split configuration

## Compact configuration





Exceeding  
the standard “Scale”




# Ice storage systems

## SB series




Slope front bins. Insulated, inside rounded corner, for daily turnover with ice. Easy to clean and maintain, removable gaskets. The reinforced hinges provides an enhanced durability. The slope front makes access to ice as easy as ever. From 120kg to 400kg storage capacity range. Compatible with any type of ice.

## UBH series



Upright bins. First-in first-out concept provides a constantly fresh ice and high level of hygiene. Insulated, inside rounded corner, for higher capacity demand for ice and longer period stock. Sturdy enough to sustain even the largest ice makers. Front windows allow to always keep an eye on the product inside. From 400kg to 1500kg storage capacity. Compatible with any type of ice.

## SIS series



Upright bins with incorporated trolleys. First-in first-out concept provides a constantly fresh ice and high level of hygiene. 100kg capacity trolleys, insulated and top-closed with lids, facilitate ice transportation. Ice falls down into trolleys gravitationally, eliminating the need of tiresome shoveling. Insulated, inside rounded corner, for higher capacity demand for ice and longer period stock. Sturdy enough to sustain even the largest ice makers. Front windows allow to always keep an eye on the product inside. From 400kg to 1500kg storage capacity. Compatible with any type of ice.

## SB series



**SB 193**  
Storage capacity:  
129 kg



**Dimensions:**  
W 569 mm  
D 845 mm  
H 1048 mm

**SB 322**  
Storage capacity:  
168 kg



**Dimensions:**  
W 569 mm  
D 869 mm  
H 1271 mm

**SB 393**  
Storage capacity:  
181 kg



**Dimensions:**  
W 769 mm  
D 850 mm  
H 1048 mm

**SB 530**  
Storage capacity:  
243 kg



**Dimensions:**  
W 771 mm  
D 880 mm  
H 1271 mm

**SB 550**  
Storage capacity:  
252 kg



**Dimensions:**  
W 1083 mm  
D 824 mm  
H 968 mm

**SB 948**  
Storage capacity:  
406 kg



**Dimensions:**  
W 1236 mm  
D 873 mm  
H 1272 mm

**SB 1025**  
Storage capacity:  
478 kg



**Dimensions:**  
W 1331 mm  
D 881 mm  
H 1272 mm

## Slope front storage bin



# UBH series

**UBH 1100**  
Storage capacity:  
553 kg



**Dimensions:**  
W 1220 mm  
D 1128 mm  
H 1427 mm

**UBH 1600**  
Storage capacity:  
812 kg



**Dimensions:**  
W 1530 mm  
D 1128 mm  
H 1731 mm

**UBH 2250**  
Storage capacity:  
1068 kg



**Dimensions:**  
W 1872 mm  
D 1468 mm  
H 1292 mm

## Upright storage bin

# SIS series



**SIS 300**  
Storage capacity:  
137 kg + 73 kg ice cart



**Dimensions:**  
W 884 mm  
D 1024 mm  
H 1343 mm

**SIS 1350**  
Storage capacity:  
613 kg + 73kg + 73kg ice carts



**Dimensions:**  
W 1753 mm  
D 1267 mm  
H 1803 mm

## Ice shuttle storage bin

**SIS 700**  
Storage capacity:  
318 kg + 73 kg ice cart



**Dimensions:**  
W 885 mm  
D 1267 mm  
H 1803 mm

**Accessories**  
carts and totes





# Head/bin combination chart

	BIN	SB193	SB322	SB393	SB530	SB550	SB948	SB1025	UBH1100	UBH1600	UBH2250	SIS300	SIS700	SIS1350
HEAD	Kg/24h	129	168	181	243	252	406	478	553	812	1068	137 + 73	318 + 73	613+73+73
MXG328	150	✓	✓											
MXG428	195	✓	✓						▼	▼			▼	▼
MXG438	428			✓	✓					▼				▼
MXG468	468			✓	✓					▼				▼
MXG638	340			✓	✓	■	■			▼				▼
MXG1038	450			✓	✓	■	■			▼				▼
C322	137	✓	✓											
C522	214	✓	✓											
C0530	217			✓	✓				▼					
C0630	300			✓	✓				▼	▼				
C0830	360			✓	✓		■	■						
C1030	416			✓	✓		■	■	▼	▼				
C1448	636						✓	■	▼	▼				
C1848	736						✓	■	▼	▼				
C2148	869						✓	■	▼	▼				
NW458	220			✓	✓									
NW608	280			✓	✓		■							
NW1008	456			✓	✓		■	■						
MV306	154	✓	●	■	■									
MV426	225	✓	●	■	■									
MV430	210	✓	●	■	■									
MV456	247			✓	●	■	■		▼					
MV460	220			✓	●	■	■		▼					
MV606	320			✓	●	■	■		▼	▼				
MV806	430			✓	●	■	■	■	▼	▼				
MV1006	465			✓	●	■	■	■	▼	▼				
MF26	120	✓	✓	■	■	■						▼		
MF36	200	✓	✓	■	■	■						▼		
MF46	330	✓	✓	■	■	■			▼			▼	▼	
MF47	320	✓	✓	■	■	■			▼			▼	▼	
MFNS46	270	✓	✓	■	■	■			▼			▼	▼	
MF56	600			■	■	■	■	■	▼	▼		▼	▼	
MFNS56	470			■	■	■	■	■	▼	▼		▼	▼	
N622	292		✓	■	■	■	■	■	▼	▼		▼	▼	
N922	438		✓	■	■	■	■	■	▼	▼		▼	▼	
MF58	600			■	■	■	■	■	▼	▼		▼	▼	
MF59	700			■	■	■	■	■	▼	▼		▼	▼	
MF66	1150								▼	▼	▼			▼
MF68	1220						■	■	▼	▼	▼			▼
MF69	1400						■	■	▼	▼	▼			▼
MF86	2500										▼			▼
MFNS86	1900										▼			▼
MF88	2500										▼			▼
MFNS88	1900										▼			▼
MAR56	426								▼	▼	▼		▼	▼
MAR76	570								▼	▼	▼		▼	▼
MAR106	785								▼	▼	▼		▼	▼
MAR126	1000								▼	▼	▼		▼	▼
MAR206	1850													
MAR306	2450													
MAR78	570								▼	▼	▼		▼	▼
MAR108	785													
MAR128	1450													
MAR208	1700									▼	▼			▼
MAR308	2450									▼	▼			▼

- ✓

 Perfect combination - matching between ice maker and bin
- Need additional Bin Top
- No anchor points between ice maker and bin
- ▼

 Ice chute cut-out performed upon installation

Tops for bins

**CBT22EFSD** for MF26 and MF36  
when used with SB193 and SB322.

**CBT22EFCD** for MF46-MFN46-MF47  
MF56-MFN56-MF57 when used with  
SB193 and SB 322.

**CBT30EFSD** for MF26-MF36-MF46  
MFN46-MF47-MF56-MFN56-MF57  
MF58-MF59-N622/N922 when used  
with SB393 and SB530.

**CBT30EMCD** for MV306-MV426  
and MV430 when used with SB393  
and SB530.

**CBT30EMCD** for N622 and N922  
when used with SB393.

**CBT30/52AMCD** for C0322 and  
C0522 when used with SB393 and  
SB530.

**CBT30/52AMCD** for C1448-C1848  
and C2148 when used with SB1025.

**CBT42EFSD** for MF26-MF36-MF46  
MFN46-MF47-MF56-MFN56-MF57  
MF58-MF59-N622 and N922 when  
used with SB550.

**CBT42EMCD** for MV456-MV460  
MV606-MV806 and MV1006 when  
used with SB550.

**CBT48EAMCD** for C530-C630  
C830-C1030-MV456 -MV460  
MV606-MV806 and MV1006 when  
used with SB948.

**CBT48FMCD** for N622-N922-MF46  
MFN46-MF47-MF56-MFN56-MF57  
MF58-MF59-MF68 and MF69 when  
used with SB948.

**CBT52FMCD** for MF46-MFN46  
MF47-MF56-MFN56-MF57-MF58  
MF59-MF68-MF69-N622 and N922  
when used with SB1025.

**CBT52EAMCD** for MV456-MV460  
MV606-MV806-MV1006, C0530  
C0630-C0830-C1030 when used  
with SB1025.



# Other products

## HD 22

### Storage Capacity:

59 kg  
Dispensing unit to be combined  
with an ice maker



**Dimensions:**  
W 558 mm  
D 850 mm  
H 1353 mm

## HD 30

### Storage Capacity:

81 kg  
Dispensing unit to be combined  
with an ice maker




**Dimensions:**  
W 762 mm  
D 850 mm  
H 1353 mm

## HD 30 Special

### Storage Capacity:

81 kg  
Dispensing unit to be combined  
with an ice maker



**Dimensions:**  
W 762 mm  
D 850 mm  
H 1353 mm

## SCW 14 B - EVO

### Pressure water cooler

**Max cooled litres/hour:**  
50 litres



**Dimensions:**  
W 404 mm  
D 332 mm  
H 1034 mm

## SCW 14 FP - EVO

### Pressure water cooler

**Max cooled litres/hour:**  
50 litres



**Dimensions:**  
W 404 mm  
D 332 mm  
H 1034 mm

## SW 12 USPH

### Pressure water cooler

**Max cooled litres/hour:**  
50 litres



**Dimensions:**  
W 400 mm  
D 330 mm  
H 875 mm

## SW 12 S

### Pressure water cooler

**Max cooled litres/hour:**  
50 litres



**Dimensions:**  
W 432 mm  
D 360 mm  
H 505 mm

## Water & ice dispensers

## MC 46 SPLIT

Model specific for ice factories

### Ice type:

Gourmet cube

### Cube size:

Medium cube

Large cube

### Max daily production:

300 kg - 15000 Medium cubes



## ACM 25

### Ice type:

Gourmet cube

### Condensing system:

Air cooled

### Max daily production:

10 kg - 500 Medium cubes



### Storage bin capacity:

3,5 kg - 175 Medium cubes

### Dimensions:

W 380 mm

D 388 mm

H 640 mm

### Dimensions:

W 660 mm

D 765 mm

H 793 mm

## AC 206 ICE SHOT

### Ice type:

Ice shot glass

### Condensing system:

Air cooled

Water cooled

### Optional:

PWD - Progressive Water Discharge

### Max daily production:

95 kg - 2375 Ice Shot



### Storage bin capacity:

50 kg - 830 Ice Shot

### Dimensions:

W 1250 mm

D 620 mm

H 780 mm / 870 mm with legs

## RBC Stand and Carts

**RBC 200:** 100 kg

**RBC 300:** 150 kg

**RBC 500:** 250 kg



## CRUSHMAN

### Crushes all ice cubes

6 kg per minute



### Dimensions:


W 245 mm

D 430 mm

H 490 mm

## EH Series ECLIPSE

Outdoor pre-charged refrigeration  
system specific for Prodigy Plus  
units. Designed to eliminate heat  
and noise from service area of the  
restaurant.



## Ice makers and carts



# Global supplier for global markets

**SCOTSMAN USA - HQ**

USA, Canada, Latin America  
Scotsman Ice Systems USA  
775 Corporate Woods Parkway  
Vernon Hills, IL 60061  
Ph: +847-215-4550  
Fax: +847-913-9844  
customer.service@scotsman-ice.com

**SCOTSMAN  
INTERNATIONAL - HQ**

Europe, Africa, Middle East,  
Asia & Pacific  
Scotsman Ice Srl  
Via Lainate 31  
20010 Pogliano Milanese  
Milan - Italy  
Ph: +39-02-93960208  
Fax: +39-02-93960201  
sales@scotsman.it

**CHINA MAINLAND**

Scotsman Ice Systems (Shanghai)  
Co., Ltd.  
Room 2505, Building 2  
20 Xuhong Middle Road,  
Xuhui District  
Shanghai China 200235  
Main line: +86-21-6131 3205/3200  
Fax: +86-21 6131 3330  
Mobile: +86-13764342320  
sales@scotsman-china.com  
service@scotsman-china.com

**MIDDLE EAST & NORTH AFRICA**

Scotsman Ice Srl  
Scotsman Regional Office (ME&NA)  
POBox: 42026, Sharjah, UAE  
HFZA Bonded Warehouse  
No. 1k-10/1  
Ph: +9716-5262-944/945  
Fax: +9716-5262-946  
Mob. Ph.+971-505-505-980  
Skype: mdawood331393  
m.dawood@scotsman.ae

**SPAIN**

Scotsman España, S.L.U.  
c/ Galapagar, 12  
Poligono Industrial Ventorro del Cano  
28925 Alcorcon (Madrid)  
Ph: +34-91-1109796  
Fax: +34-91-6337423  
scotsman@scotsman-espana.es  
www.scotsman-espana.es

**ASIA & PACIFIC**

Scotsman Industries (S) PTE. LTD.  
1 Commonwealth Lane #09-22  
One Commonwealth  
Singapore 149544  
Ph: +65-6738-5393  
Fax: +65-6738-1959  
scotsman@scotsman.com.sg

**SOUTH & CENTRAL AFRICA**

Scotsman Ice Systems SA (Pty) Ltd  
P.O. Box 44 - Riverclub  
2149 Lakeview Business Park  
Unit 4, 8 - 10 Yaldwyn Road  
Jetpark, Boksburg  
Ph: +27-11-826-6742/1  
+27 087-720 0245/6/7/8  
Fax: +27-11 826 4123  
+27-086-634-0803  
stuart@scotsmansa.co.za  
jennifer@scotsmansa.co.za



HOTEL  
& RESORT

QSR  
& CASUAL DINING

EATERIES  
& FINE DINING

CONVENIENCE STORE  
& FOOD RETAIL

WINE BAR  
& CLUB

COFFEE HOUSE  
& BAKERY

HEALTHCARE  
& CATERING

FOOD PROCESSING  
& FISHMONGER





Above, clearly.



[www.scotsman-ice.it](http://www.scotsman-ice.it)



**Milano - Madrid - Chicago - Dubai - Singapore - Shanghai - Johannesburg**