

TRUE REFRIGERATION INTERNATIONAL

UK Tel +44 (0) 1709 888 080 • Germany Tel +49 (0) 7622 6883 0 Free Phone to U.S. 0 800 894 928 • www.truemfg.com



Model:

TUC-27D-2-LP-HC

Undercounter:


Low Profile Drawered Refrigerator with Hydrocarbon Refrigerant

9/19




TUC-27D-2-LP-HC

- True's undercounter units are designed with enduring quality that protects your long term investment.
- Designed using the highest quality materials and components to provide the user with colder product temperatures, lower utility costs, exceptional food safety and the best value in today's food service marketplace.
- "Low Profile" models are designed to slide easily under custom built countertops.
- ▶ 1½" (39mm) diameter dual swivel castors. 31%" (810 mm) work surface height.
- Factory engineered, self-contained, capillary tube system using environmentally friendly R290 hydro carbon refrigerant that has zero (0) ozone depletion potential (ODP), & three (3) global warming potential (GWP).
- Oversized, factory balanced, refrigeration system holds 33°F to 38°F (.5°C to 3.3°C).
- All stainless steel front, top and ends.
 Corrosion resistant GalFan coated steel back.
- Attractive, clear coated aluminum liner. Stainless steel floor with coved corners.
- ▶ Each drawer accommodates one (1) full size 12L "x 20"W x 6"D (305 mm x 508 mm x 153 mm) food pan (sold separately).
- Foamed-in-place using a high density, polyurethane insulation that has zero ozone depletion potential (ODP) and zero global warming potential (GWP).



PLAN VIEW



(193 mm)

(404 mm)

(193 mm)

(404 mm)

(764 mm)

RIGHT VIEW

ROUGH-IN DATA

Specifications subject to change without notice. Chart dimensions rounded up to the next whole millimeter (inches rounded up to the next $\frac{1}{2}$ ").

	Model		Cabinet Dimensions (mm)			Net Volume			24 hr/ Energy Consumption	Annual Energy Consumption	Crated Weight
Model	Type	Drawers	W	D	Н	(litres)	EEC	EEI	(kWh)	(kWh)	(kg)
TUC-27D-2-LP-HC	Counter Chilled	2	702	766	810	39	Α	23.9	1.236	451	96

[†] Depth does not include 1" (26 mm) for rear bumpers.