



Catalogue :
OTHER REFRIGERATION

Chapter :
FRONT BAR CHEST COOLERS

Article :
BOTTEL COOLER BFP-150 I 230V50/60Hz

Code:
19006342

<u>DIMENSIONS AND WEIGHTS</u>		<u>Net dimensions</u>	<u>Packed</u>
Length	mm	1.500,00	650,00
Depth	mm	552,00	1.560,00
Height	mm	850,00	970,00
Weight	kg	82,00	85,00
Volume	m3	0,70	0,98

<u>ELECTRICITY</u>		<u>50/60Hz</u>	
Power			0,23 kW
Connections	230 V. 1+N+T	2X1,5+T - 2 A	
	230 V. III+T	3X10+T - 63 A	
	400 V. III+N+T	4X6+T - 32 A	

GAS Not necessary

WATER Not necessary

STEAM Not necessary

AIR Not necessary

Refrigeration power **R-134a**
0,245

Climat class **4**

SOUND LEVEL **< 65,00 db**

CERTIFICATES **SGS-2103-0906-1**

INSTALLATION - CONNECTIONS **Ø**
 ► ELECTRICITY **SI**

DESCRIPTION

BOTTLE COOLERS, BFP-150 I

SPECIFICATIONS

Outside and inner sides made of high quality austenitic stainless steel.
 40 kg/m3 injected polyurethane isolation.
 Hermetically sealed ventilated compressor at the bottom of the equipment.
 Static copper piping and aluminium flaps evaporator.
 Analogical thermostat for temperature control.
 Sliding doors with built in handles.
 Height adjustable stainless steel legs.
 Right side cooling unit with grilled door.
 Fitted with vertical dividers made of plastic covered steel grid.
 Waste water drainage and curved joints between inner panels for easy cleaning.
 Working temperature: +2 °C, +6 °C (Room temperature: 38 °C).

Doors: 3
 No. of separator grids: 2
 Capacity: 381 L
 Electric power: 218 W
 Coolant: R-134a
 Dimensions: 1.500x552x850 mm






Catalogue :
OTHER REFRIGERATION

Chapter :
FRONT BAR CHEST COOLERS

Article :
BOTTEL COOLER BFP-150 | 230V50/60Hz

Code :
19006342

SCHEMA - DIMENSIONS



Pata / Pied / Leg 65/88 mm